



FASTIN-FASTON | FASTIN-FASTON 250

TE Internal #: 160786-2

Quick Disconnects, Tab, 14 – 12 AWG Wire Size, 2.1 – 3.31 mm² Wire Size, Mating Tab Width 6.35 mm [.25 in], Straight, FASTIN-FASTON 250

[View on TE.com >](#)

Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Tab**

Wire Size: **2.1 – 3.31 mm²**

Mating Tab Width: **6.35 mm [.25 in]**

Mating Tab Thickness: **.81 mm [.032 in]**

Features

Product Type Features

Insertion Force	Normal
-----------------	--------

Configuration Features

Connection Capacity	Single
Compatible With Wire & Cable Type	Discrete Wire

Contact Features

Quick Disconnect Terminal Type	Tab
Mating Tab Width	6.35 mm [.25 in]
Mating Tab Thickness	.81 mm [.032 in]
Terminal Orientation	Straight
Contact Base Material	Phosphor Bronze
Terminal Plating Material	Tin
Crimp Type	F-Crimp
Barrel Type	Open

Termination Features

--	--



Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

	.055 in
--	---------

Wire Insulation Support	With
-------------------------	------

Mating Retention Type	Locking Lance
-----------------------	---------------

Dimensions

Terminal Material Thickness	.41 mm [.016 in]
-----------------------------	------------------

Product Length	28 mm [1.1 in]
----------------	----------------

Compatible Insulation Diameter Range	3 – 4.3 mm [.118 – .17 in]
--------------------------------------	----------------------------

Wire Size	2.1 – 3.31 mm ²
-----------	----------------------------

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operating Temperature Range	-40 – 110 °C [-40 – 230 °F]
-----------------------------	-----------------------------

Packaging Features

Packaging Quantity	3500
--------------------	------

Packaging Method	Strip/Reel
------------------	------------

Other

Terminals & Splices Comment	Tab for crimping Tab Housing Part No. 927203., With locking hole.
-----------------------------	---

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
--	--

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 175048-1
FF 187 TAB 2-3MM2 PTBR



TE Part # 963951-2
FF 250 TAB 0.5-1MM2 PTPB



TE Part # 2-2150977-2
OCEAN_2.0_APPLICATOR-E-120F1800A



TE Part # 2150977-2
OCEAN_2.0_APPLICATOR-E-120F1800A




TE Part # 7-2150977-2
OCEAN_2.0_APPLICATOR-E-120F1800A




KIT
REPRESENTATION ONLY

TE Part # 7-2150977-7
OCEAN_2.0_SPARE_PART_KIT-120F1800


Also in the Series | FASTIN-FASTON 250




Crimp Terminal Housings(211)



Insertion & Extraction Tools(2)



PCB Terminals(2)



Quick Disconnects(254)

Customers Also Bought



TE Part #776539-2
AS 16, 12P CAP ASSY, RD, KEY 2



TE Part #DT04-12PD-CE07
DEUTSCH DT Receptacle Connectors



TE Part #3-967628-1
AMP MCP Unsealed Connector Housings



TE Part #2-1564337-1
16POS, MIXED, REC HSG, ASSY



TE Part #100284-1
2P.4MM SOCK.ASS.M27



TE Part #1-172131-1
FF 250 CAP HSG 3P NYLON NAT



TE Part #1651003-2
901-0121-32034=BOOT,INSULATING

Documents

Product Drawings

[FF 250 TAB 0.5-1.5MM2 TPPB](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_160786-2_F_c-160786-2-f.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_160786-2_F_c-160786-2-f.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_160786-2_F_c-160786-2-f.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[FASTIN-FASTON CONN. .110 INCH, .187 INCH, .250 INCH, .375 INCH SRS.](#)

English

Product Specification

English

Product Environmental Compliance

[TE Material Declaration](#)

English

160786-2

Quick Disconnects, Tab, 14 – 12 AWG Wire Size, 2.1 – 3.31 mm² Wire Size, Mating
Tab Width 6.35 mm [.25 in], Straight, FASTIN-FASTON 250

