HellermannTyton

Specification Sheet

Part Number: TT100OUTSM

Clean Start ribbons prolong printhead life, while reducing maintenance costs.

Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.



Clean Start Thermal Transfer Ribbon, Soft Resin, 4.33" x 242', 0.5" Core, PET, Black, 1/pkg

Article Number 556-00169

Type TT100OUTSM

Color Black (BK)

Quantity Per EA

Product Description HellermannTyton Clean Start thermal transfer ribbons incorporate an

innovative, patented printhead cleaner built right into the ribbon. Clean Start ribbon removes debris before it builds up on the printhead, extending printer life. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton

label stock to give the best chemical and abrasion resistance.

Short Description Clean Start Thermal Transfer Ribbon, Soft Resin, 4.33" x 242', 0.5"

Core, PET, Black, 1/pkg

Global Part Name

TT100OUTSM-PET-BK

Length L (Imperial)

242.0

Length L (Metric)

74

Variant

Colored ribbon

Width W (Imperial)

4.33

Width W (Metric)

110.0

Material

Polyester Film (PET)

Material Shortcut

PET

Halogen Free

No

UV Resistant (Yes/No)

No

Operating Temperature

+40°F to +300°F (+4°C to +82°C)

Reach Compliant (Article 33)

Yes

ROHS Compliant

Yes

Customs Number	37024	40160		
About HellermannTyton				
HellermannTyton is a global manufacturelectrical, construction, industrial auton to product design, sustainability, product customers. HellermannTyton operates (www.hellermann.tyton.com).	nation, broadb ction, quality a	pand and other OEM manassurance and delivery is	rkets. The company s optimized to benef	's integrated approach it local and global
© 2023 HellermannTyton. All Rights	Reserved. Contact Us	RoHS/WEEE Complia	nce Disclaimer	Terms and Conditions

1

Package Quantity (Metric)