MAX Transit Duo Pro



Redefining Pro





USB-C



It's got the power!

Achieve non-stop power for fixed deployments or on-the-go mobile deployments with duo USB-C power bank input ports. Equipped with a Micro-Fit power connector to secure your power source, ensuring that your device remains powered on with no outage. Believe it's got the power!

Poor connectivity? No problem!

A simple connection to SpeedFusion Cloud keeps your connection unbreakable. With intricately placed endpoints globally, it ensures you remain connected wherever you are.





MAX Transit Duo Pro





Safeguard your applications

MAX Transit Duo Pro offers flexibility in the ways you can create SpeedFusion VPN tunnels, enabling 256-bit AES Encryption to ensure your applications are kept protected, so that you can browse with confidence.



Running applications just got easier!

Want to run third party applications directly with your MAX Transit Duo Pro? Well now you can! With edge computing Docker and Python*, the possibilities are endless!




* Avaliable in firmware 8.3.0

Transit Duo Pro



Recreational Vehicle Application



Mobility Antenna

Peplink's powerful antenna series. Perfectly designed for long-range signal reception, it brings you continuous signals within its IP68-rated case wherever you are - indoors, outdoors, or on the go.

Learn more at our Mobility Antenna Page: https://www.peplink.com/mobility



^{*} Pricing applies to US region only, other regions may vary.

Transit Duo Pro





Specifications

WAN Interface	1x 10/100/1000M Ethernet	Antenna Connectors	4x SMA Cellular Connectors

2x Embedded Cellular Modems with 2x RP-SMA Wi-Fi Antenna Connectors

Redundant SIM Slots 1x SMA GPS Antenna Connector

LAN Interface 1x 10/100/1000M Ethernet **Power Input** Power Port: 12V - 56V DC

AC Adapter: AC Input 100V-240V / DC Output 12V Wi-Fi Interface Simultaneous Dual-Band (2.4GHz / 5GHz) 2x USB-C 20V, 3A each for Power Input

Wi-Fi 6 2x2 MIMO Terminal Block: 12V - 56V DC

Wi-Fi WAN and/or AP

Power Consumption 10W (nominal), 18W (max.) SpeedFusion Features Hot Failover 1, WAN Smoothing 1,

Bandwidth Bonding 1 **Dimensions** 6.3 x 3.8 x 1.3 inches / 160 x 97 x 33.5 mm

Number of 2/52 Weight 1.61 pounds / 730 grams SpeedFusion VPN

Peers Operating Temperature -40° - 149°F / -40° - 65°C

Features Edge Computing with Docker and Python 3, Humidity 15% - 95% (non-condensing)

Ignition Sensing Certifications FCC, CE, RoHS,

Router Throughput 1Gbps E-Mark 5

EN61373 Shock and Vibration Resistance

SpeedFusion VPN EN50155 Railway Applications -Throughput Electronic Equipment used on Rolling Stock

- No Encryption 400 Mbps **EN61000 Electromagnetic Compatibility**

- 256-bit AES 200 Mbps

Package Content 1x Transit Duo Pro **Recommended Users**

4x LTE Antennas (ACW-234)

2x Wi-Fi Dual Band Antennas (ACW-341) 1x GPS Active Antenna (ACW-232) 1x 12V 2A 4 Pin Power Supply (ACW-632) 1x 6 Pin Terminal Block Connector

1 Pair of Mounting Brackets (ACW-724)

1-Year Limited Warranty Warranty

25-150

CAT-12: 600 Mbps / 150 Mbps

CAT-7: 300 Mbps / 150 Mbps

Cellular Data Rate 4

(Downlink / Uplink)

Specifications are subject to change without notice

Requires a PrimeCare subscription, complimentary for the first year.

² 5 SpeedFusion VPN Peers are enabled for PrimeCare models which requires a PrimeCare subscription, complimentary for the first year. ³ Feature will be available soon.

⁴ Maximum theoretical data rates.

⁵ Certification pending.

Transit Duo Pro



Ordering Information

Product Code	Regions	LTE Bands	3G Bands
MAX-TST-PRO-DUO-LTEA-USR-T-PRM Embedded Modem(s): 1x CAT-12 1x CAT-7	Primary: North America *US Carrier Certifications: AT&T, T-Mobile, Verizon, FirstNet	Cellular 1 (CAT-7): B2, B4, B5, B7, B12, B13, B14, B25, B26, B41, B42, B43, B48, B66, B71	HSPA+: B2, B4, B5
IX CAI-7		Cellular 2 (CAT-12): B1, B2, B3, B4, B5, B7, B8, B9, B12, B13, B14, B18, B19, B20, B26, B29, B30, B32, B41, B42, B43, B46, B48, B66	HSPA+: B1, B2, B4, B5, B6, B8, B9, B19
MAX-TST-PRO-DUO-LTEA-D-T-PRM Embedded Modem(s): 2x CAT-12	Primary: APAC & EMEA	B1, B2, B3, B4, B5, B7, B8, B9, B12, B13, B14, B17, B18, B19, B20, B21, B25, B26, B28, B29, B30, B32, B38, B39, B40, B41, B66	HSPA+: B1, B2, B3, B4, B5, B8, B9, B19
MAX-TST-PRO-DUO-LTEA-E-T-PRM Embedded Modem(s): 2x CAT-7	Primary: APAC & EMEA	B1, B3, B7, B8, B20, B28, B32, B38, B40, B41, B42, B43	HSPA+: B1, B5, B8

Featured Add-ons

Product Code	Description
PRM-MAX-TST-PRO-DUO-LTEA-1Y	1-Year PrimeCare for Transit Duo Pro
PRM-MAX-TST-PRO-DUO-LTEA-2Y	2-Year PrimeCare for Transit Duo Pro
PRM-MAX-TST-PRO-DUO-LTEA-4Y	4-Year PrimeCare for Transit Duo Pro
MAX-TST-PRO-DUO-BD-SP-2Y	MAX Transit Duo Pro Bundle Offer - 2 year PrimeCare extension & complimentary SpeedFusion Connect Pack
MAX-TST-PRO-DUO-BD-SP-4Y	MAX Transit Duo Pro Bundle Offer - 4 year PrimeCare extension & complimentary SpeedFusion Connect Pack
SFC-CN-SP	SpeedFusion Connect Pack for MAX Transit Duo Pro (Includes 2.5TB SFC Protect and 30GB SFC 5G/LTE)
ACW-DIN-TST	DIN Rail Mount
ANT-MB-42G-S-B-6	7-in-1 Cellular and Wi-Fi Antenna System with GPS Receiver (Black)
ANT-MB-42G-S-W-6	7-in-1 Cellular and Wi-Fi Antenna System with GPS Receiver (White)