

4

3

2


1

© - TE Connectivity. All Rights Reserved.




REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	REVISED	19AUG2020	J.J	W.H


- NOTES:
 1. MATERIAL: PHOSPHOR BRONZE, THICKNESS 0.12±0.02
 2. PLATING
 TYPE A: 50u"MIN NICKEL UNDER PLATING
 100u" MIN PURE TIN (LEAD FREE) OVER ALL.
 TYPE B: 50u"MIN NICKEL UNDER PLATING
 GOLD FLASH ON CONTACT AREA.
 3. Q'TY: 15K pcs/roll..



ROLL DIRECTION



WIRE BARREL



INSULATION BARREL

2367199-2	2367199-1
TYPE B	TYPE A
PLATING SPEC	
P/N	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Tommy Qian 18DEC2019	TE TE Connectivity	
DIMENSIONS: mm		CHK Wenke He		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD Wenke He	NAME	
0 PLC ± 0.5		PRODUCT SPEC	1.0P WT B CABLE CONTACT WITH LATCH	
1 PLC ± 0.35		108-115169	-	
2 PLC ± 0.25		APPLICATION SPEC	-	
3 PLC ± 0.15		114-115031	SIZE	CAGE CODE
4 PLC ± -		WEIGHT	A3	00779
ANGLES ± -		CUSTOMER DRAWING	DRAWING NO	RESTRICTED TO
FINISH -		SCALE N/A	C=2367199	1 of 2
MATERIAL SEE NOTE		SHEET		REV A

4

3


2

1



© - TE Connectivity. All Rights Reserved.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



Notes:
Package for 2367199-x



P/N	Quantity/Plate (PCS)	Paper plate	Quantity/Box (PCS)
2367199-x	15K	550x30x25mm	90K

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Tommy Qian 18DEC2019	TE Connectivity		
DIMENSIONS: mm		CHK Wenke He			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD Wenke He	PRODUCT SPEC		
 0 PLC ± 0.5 1 PLC ± 0.35 2 PLC ± 0.25 3 PLC ± 0.15 4 PLC ± ANGLES ± 		APPLICATION SPEC		RESTRICTED TO	
MATERIAL SEE NOTE		FINISH -	WEIGHT		SCALE
		108-115169		A3 00779	
		114-115031		C=2367199	
		CUSTOMER DRAWING		SHEET 2 of 2	
		SCALE N/A		REV A	