





LOC	DIST	REV	DESCRIPTION	DATE	DWN	APVD
ES	00					
C			ECR-08-028454	11NOV2008	AL	SY
D			REVISED PER ECO-14-000886	20FEB2014	JW	SH
D1			REVISED PER ECO-14-010419	11JUL2014	JW	SH
E			REVISED PER ECO-15-013594	22SEP2015	JW	SH

- △ DATUM AND BASIC DIMENSION TO BE DETERMINED BY CUSTOMER
- △ DATUM C APPLIES OVER ENTIRE DIMENSION
- △ INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT 4.4.1.1 OF ASME Y14.5M-1994
- △ LIGHT PIPE KIT SUPPLIED SEPARATELY, KIT TO BE ATTACHED AFTER SEATING OF CAGE CONNECTOR ASSEMBLY ON BOARD.
- 5. CAGE CONSISTS OF LIGHT PIPE ASSEMBLY AND CAGE/CONNECTOR ASSEMBLY, SUPPLIED UNASSEMBLED.
- △ DATE CODE AND PART NUMBER IN APPROXIMATE AREA SHOWN LABEL ON CAGE ASSEMBLY WILL HAVE PART NUMBER 1658894-1 OR -2.




REVISION	DESCRIPTION	DATE	DWN	APVD
1	1761018-1	1658894-2	1658895-2	
2	1761018-1	1658894-1	1658895-1	

STE TE Connectivity

2X6 SFP STACKED CAGE ASSEMBLY WITH LIGHT PIPE, PRESS FIT, STACKED SFP

SCALE 3:1 SHEET 1 OF 3 REV E

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	OWN	APVD
-	-	SEE SHEET 1	-	-	-



THE HOLE SIZE IS RECOMMENDED ON THE PAGE 4 (BOTTOM OF FIGURE 2 FOR CAGE ASSEMBLY) OF THE TE DOCUMENT 114-13103

⊕ Ø 0.1M | ZS


78 HOLES

RECOMMENDED PCB CONFIGURATION
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: M.E. CONHEB 17OCT2003	
DIMENSIONS: mm		CHK: R.R. HENRY 22OCT2003	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: R.R. HENRY 22OCT2003	NAME: 2X6 CONNECTOR ASSEMBLY WITH LIGHT PIPE, PRESS FIT, STACKED SFP
0 PLC ±0.25	1 PLC ±0.25	PRODUCT SPEC: 108-2161	SIZE: A1
2 PLC ±0.1	3 PLC ±	APPLICATION SPEC: 114-13103	CAGE CODE: 1658895
4 PLC ±	ANGLES ±	WEIGHT: -	RESTRICTED TO: -
MATERIAL: -	FINISH: -	CUSTOMER DRAWING	SCALE: 5:1 SHEET 2 OF 3 REV E

LOC	DIST	REV	DATE	BY	APPV
ES	00				


REVISIONS					
REV	DATE	BY	APPV	DESCRIPTION	DATE
-	-	-	-	SEE SHEET 1	-



2X $\varnothing 1.85 \pm 0.05$
 $\varnothing 0.1$ M X Y
 -D-

THE HOLE SIZE IS RECOMMENDED ON THE PAGE 4 (TOP OF FIGURE 2 FOR CAGE CONNECTOR) OF THE TE DOCUMENT 114-13103
 $\varnothing 0.08$ M D S E S
 40X6 HOLES

DETAIL H
 RECOMMENDED PT CONNECTOR CONFIGURATION
 4X INDIVIDUALLY
 SCALE 25:1



RECOMMENDED BEZEL CUTOUT
 SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: M.E. CONNER 17OCT2003	TE Connectivity
DIMENSIONS: mm		CHK: R.R. HENRY 22OCT2003	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: R.R. HENRY 22OCT2003	NAME: 2X6 CONNECTOR ASSEMBLY WITH LIGHT PIPE, PRESS FIT, STACKED SFP
0 PLC	± 0.25	PRODUCT SPEC: 108-2161	SIZE: A1
1 PLC	± 0.25	APPLICATION SPEC: 114-13103	CAGE CODE: C=1658895
2 PLC	± 0.1	WEIGHT: -	RESTRICTED TO: -
3 PLC	\pm	CUSTOMER DRAWING	SCALE: 4:1
4 PLC	\pm		SHEET: 3 OF 3
ANGLES	\pm		REV: E
FINISH	\pm		