



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - TE Connectivity Ltd. ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
F		REV PER ECO 19-008058	6-19-19	CT	PD



- 1 MATERIAL: INSULATOR - GLASS FILLED THERMOPLASTIC
VO RATED PER MIL-M-24519; COLOR: BLACK
MATERIAL: CONTACT - BRASS
FINISH: GOLD PLATE .000050-.000070 THK PER ASTM B 488 (2011)
OVER NICKEL UNDERPLATE .00075-.000150 THK PER SAE-AMS-QQ-N-290
- 2 THIS END SOLDER DIPPED IN ACCORDANCE WITH MII STD 202, METHOD 208.
- 3 CUST P/N, AMP AND DATE CODE LOCATED IN THIS APPROXIMATE AREA.
- 4 PIN LENGTH AND WIDTH DIMENSIONS ARE PRIOR TO SOLDER DIPPING.
- 5 FLUX CLEAN OUT ZONE.

11	---	1	447467-2
11	11750892	2	447467-1
POS.	CUSTOMER PART NO	MATERIAL	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.C.THOMAS 6-19-19	TE Connectivity Ltd.	
DIMENSIONS: INCHES		CHK P.D'AMATO 6-19-19		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD P.D'AMATO 6-19-19	NAME FUZE SYSTEM CONNECTOR HEADER, RIGHT ANGLE	
0 PLC ± -	1 PLC ± -	PRODUCT SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
2 PLC ± .01	3 PLC ± .005	APPLICATION SPEC	A2 00779 C=447467	
4 PLC ± -	ANGLES ± -	FINISH	WEIGHT 0.000000	
MATERIAL - 1		CUSTOMER DRAWING		SCALE 5:1 SHEET 1 of 1 REV F