T4070014041-001 <

M8 Connector

TE Internal #: T4070014041-001 Standard Circular Connectors, Wire-to-Board, 4 Position, Sealable, Wire & Cable, Signal, Nickel, Brass, A Polarization Code, M8 Connector

View on TE.com >

Connectors > Circular Connectors > Standard Circular Connectors > M8 Panel Mount Wire



Connector System: Wire-to-Board Number of Positions: 4 Sealable: Yes

Connector & Contact Terminates To: Wire & Cable

Contact Current Rating (Max): 3A

All M8 Panel Mount Wire (8)



Features

Product Type Features

Prewired	Yes				
Product Type	Connector Assembly				
Accessory Color	Black				
Assembly Type	Electrical Connector				
Connector System	Wire-to-Board				
Sealable	Yes				
Connector & Contact Terminates To	Wire & Cable				
Circular Connector Type	Plug				
Shell Type	Metal				
Configuration Features					
Keying & Polarized Position Locations	A				
Factory Installed Backshell	No				
Keying	A				

C For support call+1 800 522 6752

Standard Circular Connectors, Wire-to-Board, 4 Position, Sealable, Wire & Cable, Signal, Nickel, Brass, A Polarization Code, M8 Connector



Number of Positions	4
Number of Power Positions	0
Number of Signal Positions	4
Contacts Preloaded	Yes
Electrical Characteristics	
Operating Voltage	30 VAC
Body Features	
Peripheral Seal Material	Silicone
Environmental Protection	IP67
O-Ring Material	Silicone
Environmental Protection Type	Sealed
Shell Plating Material	Nickel
Shell Base Material	Brass
Circular Connector Insulation Material Type	Polyamide 67 GF30
Contact Features	
Contact Current Rating (Max)	3 A
Reverse Gender	No
Circular Connector Contact Type	Pin
Mechanical Attachment	
Polarization Code	A
Mating Alignment Type	Keyed
Housing Features	
Circular Connector Shell Size	12.6
Usage Conditions	
IP Dust Sealing Level	6
IP Water Sealing Level	IP67
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
Operation/Application	
	Signal
Circuit Application	Signal

C For support call+1 800 522 6752

Standard Circular Connectors, Wire-to-Board, 4 Position, Sealable, Wire & Cable, Signal, Nickel, Brass, A Polarization Code, M8 Connector



UL Flammability Rating	UL 94HB		
Packaging Features			
Packaging Quantity	1		
Product Compliance For compliance documentation, visit the product page on TE.com>			
EU RoHS Directive 2011/65/EU	Compliant with Exemptions		
EU ELV Directive 2000/53/EC	Compliant with Exemptions		
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (4% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.		
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.		
Solder Process Capability	Not applicable for solder process capability		

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



Standard Circular Connectors, Wire-to-Board, 4 Position, Sealable, Wire & Cable, Signal, Nickel, Brass, A Polarization Code, M8 Connector



Also in the Series | M8 Connector



Customers Also Bought



		= TE	
TE Part #1445771-1 STR REL ASY,RIGHT ANGLE SIZE 8	TE Part #34487-2 TERMINAL,SOLIS R 14-12 1/4	TE Part #T4010008041-000 M8,SCREW, FEMALE,S,UNSHIELD,4P, GOLD	TE Part #1-2273028-1 M12 x 1.0 straight plug pigt A

Documents

Product Drawings M8.MLE.PNLREAR.4POS.STR WIRE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_T4070014041-001_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_T4070014041-001_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_T4070014041-001_A.3d_stp.zip

Standard Circular Connectors, Wire-to-Board, 4 Position, Sealable, Wire & Cable, Signal, Nickel, Brass, A Polarization Code, M8 Connector



English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

M8 / M12 Connector System Catalog

English

M8 / M12 Connector System Catalog

Japanese

Product Specifications

Application Specification

English

Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Agency Approvals

UL

English