

## Terminal markers MF 5/12 MC NE WS

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com



**MultiFit** is the Weidmüller marker system used for other makes of terminals in 4, 5, 6, 6.5, 7.5, 8, 10 and 12 mm pitches. Similar to the Weidmüller dekafix, the markers of the MultiFit family are available ready-for-use with standard printing.

For the initial use of **MultiFit** we recommend to carry out a test with sample markers on the terminals used.

- One marker, suitable for different makes of terminals.
- Ready-to-use markers with standard printing
- Blank markers for individual printing with **SMark laser**, **PrintJet ADVANCED**, **plotters** or **MC-Mobilo**
- Delivery of individually printed markers according to customer CAE data or requirements
- One marking system for all applications

### General ordering data

Order No.	<a href="#">1250090000</a>
Type	MF 5/12 MC NE WS
Version	Terminal markers, MultiCard, 5 x 12 mm, Polyamide 66, Colour: White
GTIN (EAN)	4050118040463
Qty.	250 pc(s).

**Terminal markers  
MF 5/12 MC NE WS**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**
**Dimensions and weights**

Length	5 mm	Width	12 mm
Height	1.6 mm	Net weight	0.33 g

**Markings**

Cadmium	No	Can be labelled with thermal transfer printers	No
Can be printed with plotter	Yes	Can be written with dot-matrix printer	No
Can be written with laser printer	No	Colour	White
Conductor O.D.		Halogen	No
Material	Polyamide 66	Material colour according to resistance code	9
Operating temperature range, max.	100 °C	Operating temperature range, min.	-40 °C
Pin can be written (STI)	Yes	PrintJet	Yes
Silicone	No	Speed marking laser	Yes
UL 94 flammability rating	V-2		

**Classifications**

eClass 6.2	27-14-91-29	eClass 7.1	27-14-91-29
------------	-------------	------------	-------------

**Approvals**

Approvals	
ROHS	Conform


**Data sheet...**

**Terminal markers  
MF 5/12 MC NE WS**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

**Example of use**



Product is similar to illustration