

Data sheet | Item number: 2007-8891

End plate; 1.5 mm thick; without lock-out seal option; gray

[www.wago.com/2007-8891](http://www.wago.com/2007-8891)



Color:

## Data

### Physical data

Width	1.5 mm / 0.059 inches
Height	99.3 mm / 3.909 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Depth	46.8 mm / 1.843 inches
-------	------------------------

## Mechanical Data

Mounting type	snap-on type
---------------	--------------

## Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.17 MJ
Weight	5.7 g

## Commercial data

Product Group	22 (TOPJOB S)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	50 (10) pcs
Packaging type	box
Country of origin	DE
GTIN	4050821484929
Customs tariff number	85389099990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Approvals / Certificates

### Declarations of conformity and manufacturer's declarations

Logo	Approval	Additional Approval Text	Certificate name
	<b>Railway</b> WAGO GmbH & Co. KG	-	Railway Ready

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



## Required accessories

### End plate

Through terminal block		
<b>Item no.: 2007-8801/043-000</b>	2-conductor through terminal block; 6 mm <sup>2</sup> ; with touch-proof test socket; for 4 mm Ø test plugs; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2007-8801/043-000">www.wago.com/2007-8801/043-000</a>
<b>Item no.: 2007-8801/040-000</b>	2-conductor through terminal block; 6 mm <sup>2</sup> ; with touch-proof test socket; for 4 mm Ø test plugs; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2007-8801/040-000">www.wago.com/2007-8801/040-000</a>
<b>Item no.: 2007-8801</b>	2-conductor through terminal block; 6 mm <sup>2</sup> ; with touch-proof test socket; for 4 mm Ø test plugs; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2007-8801">www.wago.com/2007-8801</a>
<b>Item no.: 2007-8801/046-000</b>	2-conductor through terminal block; 6 mm <sup>2</sup> ; with touch-proof test socket; for 4 mm Ø test plugs; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2007-8801/046-000">www.wago.com/2007-8801/046-000</a>
<b>Item no.: 2007-8804</b>	2-conductor through terminal block; 6 mm <sup>2</sup> ; with touch-proof test socket; for 4 mm Ø test plugs; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2007-8804">www.wago.com/2007-8804</a>
<b>Item no.: 2007-8801/041-000</b>	2-conductor through terminal block; 6 mm <sup>2</sup> ; with touch-proof test socket; for 4 mm Ø test plugs; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2007-8801/041-000">www.wago.com/2007-8801/041-000</a>
<b>Item no.: 2007-8801/044-000</b>	2-conductor through terminal block; 6 mm <sup>2</sup> ; with touch-proof test socket; for 4 mm Ø test plugs; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2007-8801/044-000">www.wago.com/2007-8801/044-000</a>
<b>Item no.: 2007-8801/045-000</b>	2-conductor through terminal block; 6 mm <sup>2</sup> ; with touch-proof test socket; for 4 mm Ø test plugs; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2007-8801/045-000">www.wago.com/2007-8801/045-000</a>
Voltage transformer terminal block		
<b>Item no.: 2007-8811/045-000</b>	2-conductor disconnect/test terminal block; e.g., voltage transformer circuits; with touch-proof test sockets; for 4 mm Ø test plugs; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm <sup>2</sup> ; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2007-8811/045-000">www.wago.com/2007-8811/045-000</a>
<b>Item no.: 2007-8811/044-000</b>	2-conductor disconnect/test terminal block; e.g., voltage transformer circuits; with touch-proof test sockets; for 4 mm Ø test plugs; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm <sup>2</sup> ; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2007-8811/044-000">www.wago.com/2007-8811/044-000</a>
<b>Item no.: 2007-8811</b>	2-conductor disconnect/test terminal block; e.g., voltage transformer circuits; with touch-proof test sockets; for 4 mm Ø test plugs; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm <sup>2</sup> ; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2007-8811">www.wago.com/2007-8811</a>
<b>Item no.: 2007-8811/046-000</b>		

Subject to changes. Please also observe the further product documentation!



2-conductor disconnect/test terminal block; e.g., voltage transformer circuits; with touch-proof test sockets; for 4 mm Ø test plugs; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; Push-in CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray

[www.wago.com/2007-8811/046-000](http://www.wago.com/2007-8811/046-000)

#### Ground terminal block

##### Item no.: 2007-8807

2-conductor ground terminal block; 6 mm<sup>2</sup>; with touch-proof test socket; for 4 mm Ø test plugs; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm<sup>2</sup>; green-yellow

[www.wago.com/2007-8807](http://www.wago.com/2007-8807)

#### Current transformer terminal block

##### Item no.: 2007-8821

2-conductor disconnect/test terminal block; e.g., current transformer circuits; with receptacle for adjacent jumper with switch lever; for 4 mm Ø test plugs; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; Push-in CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray

[www.wago.com/2007-8821](http://www.wago.com/2007-8821)

##### Item no.: 2007-8821/045-000

2-conductor disconnect/test terminal block; e.g., current transformer circuits; with receptacle for adjacent jumper with switch lever; for 4 mm Ø test plugs; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; Push-in CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray

[www.wago.com/2007-8821/045-000](http://www.wago.com/2007-8821/045-000)

##### Item no.: 2007-8821/044-000

2-conductor disconnect/test terminal block; e.g., current transformer circuits; with receptacle for adjacent jumper with switch lever; for 4 mm Ø test plugs; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm<sup>2</sup>; Push-in CAGE CLAMP®; 6,00 mm<sup>2</sup>; gray

[www.wago.com/2007-8821/044-000](http://www.wago.com/2007-8821/044-000)

## Downloads

### Documentation

#### Bid Text

2007-8891 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
2007-8891 doc - Datei	2017 年4月28 日	doc 23.0 kB	Download

#### Additional Information

pdf  
2.3 MB  
Download

## CAD/CAE-Data

### CAE data

WSCAD Universe 2007-8891	URL	Download
ZUKEN Portal 2007-8891	URL	Download
EPLAN Data Portal 2007-8891	URL	Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



#### CAD data

2D/3D Models 2007-8891

[URL](#)

[Download](#)

---

#### Environmental Product Compliance

##### Compliance Search

Environmental Product Compliance 2007-8891

[URL](#)

[Download](#)

End plate; 1.5 mm thick; without lock-out seal option; gray

---

#### Installation Notes

#### Product family

##### TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.