

Specification Sheet

Part Number: 170-03232



Self-wrapping feature allows easy installation and future access to wire and cables.

Unique blend and construction using monofilament and multifilament strands provide flexibility, high coverage and abrasion resistance.

Extra overlapping design keeps wires contained even in tight bend conditions.

Braided Sleeving, Woven Convoluted Wrap, 5/16" Dia, PET, Orange, 325 ft/reel

Article Number 170-03232

Type BSPW516

Color Orange (OG)

Quantity Per reel

Product Description This split, wrap-around style woven convoluted sleeving utilizes a unique elastic construction for added flexibility and abrasion resistance. The overlapping design creates material memory allowing the sleeve to quickly roll back over connectors and splices without exposing bundled cabling.

Short Description Braided Sleeving, Woven Convoluted Wrap, 5/16" Dia, PET, Orange, 325 ft/reel

Global Part Name BSPW516-PET-OG

Length L (Imperial) 325.0

Length L (Metric) 99.1

Bundle Diameter Min (Imperial) 0.098

Bundle Diameter Min (Metric) 2.5

Bundle Diameter Max (Imperial) 0.31

Bundle Diameter Max (Metric) 8.0

Diameter D (Imperial) 0.313

Diameter D (Metric) 8.0

Nominal Diameter (Imperial) 0.315

Nominal Diameter (Metric) 8.0

Wall Thickness WT (Imperial) 0.027

Wall Thickness WT (Metric) 0.7

Material Polyester (PET)

Material Shortcut PET

| | |
|------------------------------|-----------------------------------|
| Flammability | FMVSS 302 UL 94 V-0 |
| Halogen Free | No |
| UV Resistant (Yes/No) | No |
| Operating Temperature | -94°F to +302°F (-70°C to +150°C) |
| Reach Compliant (Article 33) | No |
| ROHS Compliant | Yes |
| Package Quantity (Imperial) | 325.0 |
| Package Quantity (Metric) | 99.1 |
| Customs Number | 5806322000 |

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)