# DT4S-BT-BK - ACTIVE

#### DEUTSCH | DEUTSCH DT, DEUTSCH DTM

TE Internal #: DT4S-BT-BK Automotive Connector Caps & Covers, Boot, Cable Exit Angle 180°, Black, PVC, 4 Position, -20 – 212 °F [-29 – 100 °C], DEUTSCH DTM

#### View on TE.com >



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Protection & Strain Relief Accessory Type: Boot

Cable Exit Angle: 180°

Strain Relief: With

Primary Product Color: Black

Primary Product Material: PVC

#### Features

#### Product Type Features

Protection & Strain Relief Accessory Type	Boot		
Sealable	No		
Configuration Features			
Number of Positions	4		
Body Features			
Cable Exit Angle	180°		
Primary Product Color	Black		
Primary Product Material	PVC		
Mechanical Attachment			
Strain Relief	With		
Dimensions			
Compatible Cable Bundle Diameter Range	0 – 11.1 mm[0 – .437 in]		
Usage Conditions			

Automotive Connector Caps & Covers, Boot, Cable Exit Angle 180°, Black, PVC, 4 Position, -20 – 212 °F [-29 – 100 °C], DEUTSCH DTM



Compatible With Connector Style	Plug	
Operating Temperature (Max)	100 °C[212 °F]	
Operating Temperature Range	-29 – 100 °C[-20 – 212 °F]	
Industry Standards		
Degree of Protection	IP6K9K	
Packaging Features		
Packaging Method	Box	
Other		
Serviceable	Yes	
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023	

(233)

Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

### **Compatible Parts**

Halogen Content


Solder Process Capability

Automotive Connector Caps & Covers, Boot, Cable Exit Angle 180°, Black, PVC, 4 Position, -20 – 212 °F [-29 – 100 °C], DEUTSCH DTM





## Also in the Series DEUTSCH DT




Connector Seals & Cavity Plugs(6)

Insertion & Extraction Tools(3)

Other Automotive Connector Accessories(27) PCB Headers & Receptacles(103)

### Also in the Series | DEUTSCH DTM









Automotive Connector Caps & Covers (35)

Automotive Connector Locks & Position Assurance(17)


Automotive Housings(100)

Connector Backshells(6)

**C** For support call+1 800 522 6752

Automotive Connector Caps & Covers, Boot, Cable Exit Angle 180°, Black, PVC, 4 Position, -20 – 212 °F [-29 – 100 °C], DEUTSCH DTM





### Customers Also Bought



BOOT, 2P, PLG, ST, BLK	BOOT, 6P, REC, ST, BLK	BOOT, 8P, PLG, ST, BLK	BOOT, 8P, REC, ST, BLK
-==: TE	-==: TE		
TE Part #DT12S-BT-BK	TE Part #DT3S-BT-BK		
BOOT, 12P, PLG, ST, BLK	BOOT, 3P, PLG, ST, BLK		

### Documents

Product Drawings BOOT, 4P, PLG, ST, BLK

English

BOOT, 4P, PLG, ST, BLK

English

#### CAD Files

3D PDF

3D

Automotive Connector Caps & Covers, Boot, Cable Exit Angle 180°, Black, PVC, 4 Position, -20 – 212 °F [-29 – 100 °C], DEUTSCH DTM



Customer View Model

ENG\_CVM\_CVM\_DT4S-BT-BK\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_DT4S-BT-BK\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_DT4S-BT-BK\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages CONNECTOR SELECTOR

English

Product Specifications Application Specification

English