

NOTES:

1.  $\text{\textcircled{C}}$  REPRESENTS A CRITICAL DIMENSION.
2. MINIMUM PUSHOUT FORCE TO BE 12 OZ RETENTION FOR CONTACTS AND WELD TABS.
3. MAXIMUM TERMINAL BURR: .003[0.08]
4. MAXIMUM HEIGHT VARIATION BETWEEN ANY TWO PINS: .005[0.13]
5. PARTS SHALL BE PACKAGED IN TUBES UNLESS OTHERWISE SPECIFIED. SEE SHEET 2.
6. NOTE DELETED.
7. NOTE DELETED.
8. ORDERS WILL BE PACKAGED ACCORDING TO THE SAMTEC PACKAGING EFFICIENCY STANDARDS (SPES) FOUND ON [WWW.SAMTEC.COM](http://WWW.SAMTEC.COM)
9. ATTACH LABEL TO EACH REEL.

DO NOT SCALE FROM THIS PRINT

TFM-1XX-XX-X-DH-XX

No OF POSITIONS

-02 THRU -50  
(PER ROW)

LEAD STYLE

-02

PACKAGING

BLANK: TUBES (SEE NOTE 5)  
-TR: TAPE & REEL PACKAGING (SEE NOTES 8 & 9)  
-FR: FULL REEL QTY. TAPE & REEL (SEE NOTES 8 & 9)

ROW SPECIFICATION

-DH: DOUBLE HORIZONTAL

PLATING SPECIFICATION

-S: 30 $\mu$ " SELECTIVE GOLD IN CONTACT AREA, MATTE TIN ON TAIL  
-L: 10 $\mu$ " LIGHT SELECTIVE GOLD IN CONTACT AREA, MATTE TIN ON TAIL  
-F: 3 $\mu$ " FLASHED SELECTIVE GOLD IN CONTACT AREA, MATTE TIN ON TAIL

TABLE 2

POS	"A"
-02 THRU -30	.004 [0.10]
-31 THRU -50	.006 [0.15]







FIG 1  
TFM-125-02-X-DH SHOWN




FIG 2  
BACK VIEW  
TFM-125-02-X-DH SHOWN

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.  
TOLERANCES ARE:  
DECIMALS ANGLES  
.XX:  $\pm$ .01 [0.3] 2°  
.XXX:  $\pm$ .005 [0.13]  
.XXXX:  $\pm$ .0020 [0.051]

**PROPRIETARY NOTE**  
THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.



520 PARK EAST BLVD., NEW ALBANY, IN 47150  
PHONE: 812-944-6733 FAX: 812-948-5047  
e-Mail: info@SAMTEC.com code 55322


MATERIAL: DO NOT SCALE DRAWING  
INSULATOR: LCP, UL 94-VO  
COLOR: BLACK

TERMINAL: COPPER ALLOY


SHEET SCALE: 3:1

DESCRIPTION:  
.050 X .050 DOUBLE HORIZONTAL TERMINAL STRIP  
DWG. NO.


TFM-1XX-XX-X-DH-XX



**IN-PROCESS 1**  
FILL T-1R45-01-XXX



**IN-PROCESS 2**  
FILL T-1R46-01-XXX



**TUBE VIEW**  
PT-1-24-01-124  
TP-07

F:\DWG\MISC\MKTG\TFM-1XX-XX-X-DH-XX-MKT.SLDDRW

**PROPRIETARY NOTE**  
THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 3:1



520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812-944-6733 FAX: 812-948-5047  
e-Mail info@SAMTEC.com code 55322

DESCRIPTION:  
.050 X .050 DOUBLE HORIZONTAL TERMINAL STRIP

DWG. NO.  
**TFM-1XX-XX-X-DH-XX**

BY: J. BROWNING 04/12/2010 SHEET 2 OF 2