1-881545-1 ACTIVE

AMPMODU | Modu Connector System

TE Internal #: 1-881545-1

Board-to-Board Jumpers & Shunts, Novo, Open Top, 2 Position, .1 in [2.54 mm] Centerline, Signal, -85 – 221 °F [-65 – 105 °C], Modu

Connector System

View on TE.com >



Connectors > PCB Connectors > Board-to-Board Connectors > Board-to-Board Jumpers & Shunts











Shunt Type: Novo

Shunt Style: Open Top

Connector System: Board-to-Board

Number of Positions: 2

Centerline (Pitch): 2.54 mm [.1 in]

Features

Product Type Features

| Connector System | Board-to-Board |
|--|-----------------------|
| Connector & Contact Terminates To | Printed Circuit Board |
| Configuration Features | |
| Number of Positions | 2 |
| Electrical Characteristics | |
| Termination Resistance | 15 mΩ |
| Body Features | |
| Handle | With |
| Primary Product Color | Black |
| Contact Features | |
| Contact Mating Area Plating Material Thickness | .381 μm[15 μin] |
| Contact Mating Area Plating Material | Gold |
| | |

Phosphor Bronze

Contact Base Material



| Shunt Type | Novo |
|------------------------------|----------------------------|
| Shunt Style | Open Top |
| Contact Current Rating (Max) | 3 A |
| Mechanical Attachment | |
| Connector Mounting Type | Board Mount |
| Housing Features | |
| Housing Material | Thermoplastic |
| Centerline (Pitch) | 2.54 mm[.1 in] |
| Dimensions | |
| Product Height | 5.8 mm[.228 in] |
| Usage Conditions | |
| Operating Temperature Range | -65 – 105 °C[-85 – 221 °F] |
| Operation/Application | |
| Circuit Application | Signal |
| Industry Standards | |
| UL Flammability Rating | UL 94V-0 |
| Packaging Features | |
| Jumper & Shunt Packaging | Loose Piece |
| Packaging Quantity | 14000 |
| Packaging Method | Bag |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|--|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |



Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts








Also in the Series | Modu Connector System







Board-to-Board Jumpers & Shunts(5)




PCB Connector Covers(4)



PCB Connector Keying(4)






Customers Also Bought



















Documents

Product Drawings

AMP SHUNT ASS'Y

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_1-881545-1_K.2d_dxf.zip

English

Customer View Model

ENG_CVM_1-881545-1_K.3d_igs.zip

English

Customer View Model

ENG_CVM_1-881545-1_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Agency Approvals

Agency Approval Document

English