Data sheet | Item number: 285-448

Fixing element; for 50 mm² high-current terminal blocks; orange

www.wago.com/285-448



Color:
COIOI.

Data Material Data

Note (material data)

Information on material specifications can be found here

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 285-448

www.wago.com/285-448



1-92
1-92
1-92
1-92
1-92
48
48
ocs
578189

Environmental Product Compliance

RoHS Compliance Status Compliant, No Exemption

Downloads Documentation

Bid Text

285-448 X81 - Datei	2019 年7月1日	xml 2.8 kB	Download
285-448 docx - Datei	2019 年7月1日	docx 13.8 kB	Download
Additional Information		pdf 2.3 MB	Download

CAD/CAE-Data

CAD data

2D/3D Models 285-448 URL Download

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

04.09.2023 Page 2/3

Data sheet | Item number: 285-448

www.wago.com/285-448



Environmental Product Compliance

Compliance Search

Environmental Product Compliance 285-448 URL Download

Fixing element; for 50 mm² high-current terminal blocks; orange

Installation Notes Installation

Optionally, insert block-to-block connector (285-448) into housing slot.

Align and snap high-current, through terminal blocks together.

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.