


10 9 8 7 6 5 4 3 2 1

| REVISIONS | | | | |
|-----------|------------|-----|--------------------------------------|---------|
| EC NO | DATE | REV | DESCRIPTION | CHANGER |
| | 2016.06.20 | A | INITIAL RELELASE. | DICK |
| 686785 | 2021.09.27 | A1 | REMOVED OBSOLETED PN: 797581016/1017 | SUGEEB |



| | | | | | | | | | | |
|---|-------|---|---------|--------|--------------------------|----------------|--|--------------|----------|----------|
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | | | | | | | |
| DIMENSION UNITS | SCALE | CURRENT REV DESC: OBSOLETED PART NUMBER AS PER PCN#509451 | | | molex | | | | | |
| mm | NTS | | | | | | | | | |
| GENERAL TOLERANCES (UNLESS SPECIFIED) | | | | | SEE TABLE | | | | | |
| ANGULAR TOL | ± | ° | | | PRODUCT CUSTOMER DRAWING | | | | | |
| 4 PLACES | ± | EC NO: 686785 | | | DOCUMENT NUMBER | | | | | |
| 3 PLACES | ± | DRWN: SUGEEB 2021/09/27 | | | 2012341212 | | | DOC TYPE | DOC PART | REVISION |
| 2 PLACES | ± | CHK'D: GGA 2022/02/28 | | | PSD | | | 000 | A1 | |
| 1 PLACE | ± | APPR: GGA 2022/02/28 | | | GENERAL MARKET | | | SHEET NUMBER | | |
| 0 PLACES | ± | INITIAL REVISION: | | | 1 OF 3 | | | | | |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | THIRD ANGLE PROJECTION | DRAWING | SERIES | MATERIAL NUMBER | CUSTOMER | | | | |
| | | | A3-SIZE | 201234 | SEE TABLE | GENERAL MARKET | | | | |

| | | | | |
|-----------------|----|--------------|------------|----------|
| DOCUMENT STATUS | P1 | RELEASE DATE | 2022/02/28 | 11:53:34 |
|-----------------|----|--------------|------------|----------|

9 8 7 6 5 4 3 2 1



FORMAT: master-b-prod-A3
REVISION: 11
DATE: 2021/05/01

| TABLE | | | | | | | |
|-------------|-------|-------------------|------|---|------|-----|------|
| PART NUMBER | L(MM) | TITLE | ITEM | DESCRIPTION | Q'TY | PPQ | DU |
| 797581001 | 150±5 | Micro-Clasp 150mm | A | 2.0 WtB Crimp Rec Chain 561349000 | 2 | 50 | 3000 |
| | | | B | 24AWG;PLATED;PVC;BK;OD=1.43MM;UL1007 | A/R | | |
| 797581002 | 300±5 | Micro-Clasp 300mm | A | 2.0 WtB Crimp Rec Chain 561349000 | 2 | 50 | 3000 |
| | | | B | 24AWG;PLATED;PVC;BK;OD=1.43MM;UL1007 | A/R | | |
| 797581003 | 150±5 | Pico-Lock 150mm | A | 1.5 W/B REC TERMINAL AWG#24-28AWG 5040520098 | 2 | 50 | 3000 |
| | | | B | 24AWG;PLATED;PVC;BK;OD=1.10MM;UL1061 | A/R | | |
| 797581004 | 300±5 | Pico-Lock 300mm | A | 1.5 W/B REC TERMINAL AWG#24-28AWG 5040520098 | 2 | 50 | 3000 |
| | | | B | 24AWG;PLATED;PVC;BK;OD=1.10MM;UL1061 | A/R | | |
| 797581005 | 150±5 | Pico-Lock 150mm | A | 1.5 W/B REC TERMINAL AWG#30-32AWG 5040520298 | 2 | 50 | 3000 |
| | | | B | 30AWG;PLTD;PVC;BK;OD=0.55MM;UL1571 | A/R | | |
| 797581006 | 300±5 | Pico-Lock 300mm | A | 1.5 W/B REC TERMINAL AWG#30-32AWG 5040520298 | 2 | 50 | 3000 |
| | | | B | 30AWG;PLTD;PVC;BK;OD=0.55MM;UL1571 | A/R | | |
| 797581007 | 300±5 | Pico-Spox 300mm | A | 1.5mm Rcpt Term Crim 2.5Sn 874210000 | 2 | 50 | 3000 |
| | | | B | 24AWG;PLATED;PVC;BK;OD=1.10MM;UL1061 | A/R | | |
| 797581008 | 150±5 | Dura-Click 150mm | A | 2.0 WtB Rec Term 502128000 | 2 | 50 | 3000 |
| | | | B | 26AWG;PLATED;PVC;BK;OD=1.00MM;UL1061 | A/R | | |
| 797581009 | 300±5 | Dura-Click 300mm | A | 2.0 WtB Rec Term 502128000 | 2 | 50 | 3000 |
| | | | B | 26AWG;PLATED;PVC;BK;OD=1.00MM;UL1061 | A/R | | |
| 797581010 | 300±5 | Pico-Ezmate 300mm | A | 1.2MM WTB RECEIPT CRIMP TERM H>F 781720410 | 2 | 50 | 3000 |
| | | | B | 28AWG;PLATED;ETFE;WHT;OD=0.57mm;UL1516 | A/R | | |
| 797581011 | 300±5 | Click-Mate 300mm | A | 1.5 W/B Single Plg Term Chain W/Plt 5025790000 | 2 | 50 | 3000 |
| | | | B | 24AWG;PLATED;PVC;BK;OD=1.10MM;UL1061 | A/R | | |
| 797581012 | 150±5 | Click-Mate 150mm | A | 1.25 W/B Single Plg Term W/Plt 5023810000 | 2 | 50 | 3000 |
| | | | B | UL&CSA 1061/#28 STR BLK | A/R | | |
| 797581013 | 300±5 | Click-Mate 300mm | A | 1.25 W/B Single Plg Term W/Plt 5023810000 | 2 | 50 | 3000 |
| | | | B | UL&CSA 1061/#28 STR BLK | A/R | | |
| 797581014 | 150±5 | Click-Mate 150mm | A | 2.0 W/B Single Plug Term W/Plt Chain 5024380000 | 2 | 50 | 3000 |
| | | | B | 24AWG;PLATED;PVC;BK;OD=1.10MM;UL1061 | A/R | | |
| 797581015 | 300±5 | Click-Mate 300mm | A | 2.0 W/B Single Plug Term W/Plt Chain 5024380000 | 2 | 50 | 3000 |
| | | | B | 24AWG;PLATED;PVC;BK;OD=1.10MM;UL1061 | A/R | | |
| 797581018 | 150±5 | Pico-Clasp 150mm | A | 1.0 WtB Crimp Rec Term Chn 5013340000 | 2 | 50 | 3000 |
| | | | B | 28AWG;PLTD;PVC;BLK;OD=0.6mm;UL1571 | A/R | | |
| 797581019 | 300±5 | Pico-Clasp 300mm | A | 1.0 WtB Crimp Rec Term Chn 5013340000 | 2 | 50 | 3000 |
| | | | B | 28AWG;PLTD;PVC;BLK;OD=0.6mm;UL1571 | A/R | | |
| 797581020 | 150±5 | Sherlock 150mm | A | 2.0 WtB Rec Term 502128000 | 2 | 50 | 3000 |
| | | | B | 26AWG;PLATED;PVC;BK;OD=1.00MM;UL1061 | A/R | | |
| 797581021 | 300±5 | Sherlock 300mm | A | 2.0 WtB Rec Term 502128000 | 2 | 50 | 3000 |
| | | | B | 26AWG;PLATED;PVC;BK;OD=1.00MM;UL1061 | A/R | | |

SEE NOTE 2,3












NOTE:

1. THIS PRODUCT MUST MEET 2011/65/EU ROHS COMPLIANCE.
此产品需符合 2011/65/EU ROHS环保要求.
2. PPQ: THE AMOUNT OF CABLES PER BAG.
每袋产品数量.
3. DU : THE MINIMUM LINE QUANTITY TO BUY.
最小购买数量.
4. STICK UL LABEL ON THE OUTSIDE CARTON.
外箱上贴UL标签.


| | | | | | | | | | |
|---|-------|--|------------|-----------------|--------|----------------|-----|--------------|----------|
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | | | | | | |
| DIMENSION UNITS | SCALE | CURRENT REV DESC: OBSOLETE PART NUMBER AS PER PCN#509451 | | | | | | | |
| mm | NTS |  <p>SEE TABLE</p> | | | | | | | |
| GENERAL TOLERANCES (UNLESS SPECIFIED) | | | | | | | | | |
| ANGULAR TOL | ± ° | PRODUCT CUSTOMER DRAWING | | | | | | | |
| 4 PLACES | ± | EC NO: 686785 | 2021/09/27 | DOCUMENT NUMBER | | | | | |
| 3 PLACES | ± | DRWN: SUGEEB | 2022/02/28 | 2012341212 | | PSD | 000 | A1 | REVISION |
| 2 PLACES | ± | CHK'D: GGA | 2022/02/28 | SHEET NUMBER | | | | | |
| 1 PLACE | ± | APPR: GGA | 2022/02/28 | 2 OF 3 | | | | | |
| 0 PLACES | ± | INITIAL REVISION: | | MATERIAL NUMBER | | | | | |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | THIRD ANGLE PROJECTION | | DRAWING | SERIES | CUSTOMER | | SHEET NUMBER | |
| | |  | | A3-SIZE | 201234 | GENERAL MARKET | | 2 OF 3 | |

10 9 8 7 6 5 4 3 2 1

F
E
D
C
B
A

| | | | |
|---|------------|--|------------|
|  | 561349000 |  | 5040520098 |
|  | 874210000 |  | 502128000 |
|  | 781720410 |  | 5025790000 |
|  | 5023810000 |  | 5024380000 |
|  | 5011933000 |  | 5013340000 |
|  | 5040520298 | | |

DETAIL A
TERMINAL FIGURE

| | | | | | | | | | | |
|---|-------|---|------------|--------|--------------------------|----------------|----------|--------------|----------|----------|
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | | | | | | | |
| DIMENSION UNITS | SCALE | CURRENT REV DESC: OBSOLETE PART NUMBER AS PER PCN#509451 | | | molex | | | | | |
| mm | NTS | | | | | | | | | |
| GENERAL TOLERANCES (UNLESS SPECIFIED) | | | | | SEE TABLE | | | | | |
| ANGULAR TOL | ± | ° | | | PRODUCT CUSTOMER DRAWING | | | | | |
| 4 PLACES | ± | EC NO: 686785 | | | INITIAL REVISION: | | | | | |
| 3 PLACES | ± | DRWN: SUGEEB | 2021/09/27 | | DRWN: WLXIE | | | | | |
| 2 PLACES | ± | CHK'D: GGA | 2022/02/28 | | APPR: YXZOU | | | | | |
| 1 PLACE | ± | APPR: GGA | 2022/02/28 | | DOCUMENT NUMBER | | DOC TYPE | | DOC PART | REVISION |
| 0 PLACES | ± | | | | 2012341212 | | PSD | | 000 | A1 |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | THIRD ANGLE PROJECTION | DRAWING | SERIES | MATERIAL NUMBER | CUSTOMER | | SHEET NUMBER | | |
| | |  | A3-SIZE | 201234 | SEE TABLE | GENERAL MARKET | | 3 OF 3 | | |

| | | | | |
|-----------------|----|--------------|------------|----------|
| DOCUMENT STATUS | P1 | RELEASE DATE | 2022/02/28 | 11:53:34 |
|-----------------|----|--------------|------------|----------|

9 8 7 6 5 4 3 2 1