
UNCONTROLLED DOCUMENT

PART NUMBER
SSI-LXH387YD

REV.

REV.	E.C.N. NUMBER AND REVISION COMMENTS	DATE
Α	E.C.N. #10BRDR. & REDRAWN.	8,2,01

ø9.00	[ø0.354] —	ø7.20	[ø0.283]
ø5.00	[ø0.197] —		



ELECTRO-OPTICAL CH	IARACTERIS	STICS TA=25°C		$I_f = 20mA$	
PARAMETER	MIN	TYP	MAX	UNITS	TEST COND
PEAK WAVELENGTH		585		nm	
FORWARD VOLTAGE		2.1	2.5	٧f	
REVERSE VOLTAGE	5.0			V_r	1 _r =100,uA
AXIAL INTENSITY		10		mcd	$I_f = 20 \text{mA}$
VIEWING ANGLE		120		2x theta	
EMITTED COLOR:	YELLOW				
EPOXY LENS FINISH:	YELLOW	DIFFUSED			

8.33 [0.328]	3.78 [0.149]
3.35 [0.132]	5.00 [0.197]
ANODE -	1
0.50 [0.020] SQR. (2 PLS.)	- 2.54 [0.100]

LIMITS OF SAFE OPERATION AT 25°C

PARAMETER	MAX	UNITS
PEAK FORWARD CURRENT*	150	mA
STEADY CURRENT	30	mA
POWER DISSIPATION	110	mW
DERATE FROM 25°C	-1.2	mW/°C
OPERATING, STORAGE TEMP.	-40 TO +85	•C
SOLDERING TEMP.	+ 260	•C
2.0mm FROM BODY		3 SEC. MAX
* 1 :40 0		

* t<10µS

NOTES:

- 1. SSL-LX433YD LED.
- 2. HOLDER: LXP-SSI-387BSH, LXP-SSI-387BZL.
- 3. PANEL HOLE CUT OUT: 5/16" DIAMETER.

*UNLESS OTHERWISE SPECIFIED TOLERANCES PER DECIMAL PRECISION ARE: X=±1 (±0.039), X.X=±0.5 (±0.020), X.XX=±0.25 (±0.010), X.XXX=±0.127 (±0.005). LEAD SIZE=±0.05 (±0.002), LEAD LENGTH=±0.75 (±0.030). MIN= +0.00 — DECIMAL PRECISION MAX. = +0.00 — DECIMAL PRECISION MA

PART NUMBER
A SSI-LXH387YD

T-5 FRESNEL LENS PANEL MOUNT INDICATOR, 585nm YELLOW LED, YELLOW DIFFUSED LENS.

CONFIDENTIAL INFORMATION

THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF
LUMEX INC. EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY LUMEX
INC., THE HOLDER OF THIS DOCUMENT SHALL KEEP ALL INFORMATION
CONTAINED HEREIN CONFIDENTIAL AND SHALL PROTECT SAME IN WHOLE OR
IN PART FROM DISCLOSURE AND DISSEMMATION TO ALL THIRD PARTIES.

RELIABILITY NOTE

OUR MANY YEARS OF EXPERIENCE DATA ACCUMULATION INDICATE THAT

SOLDER HEAT IS A MAJOR CAUSE OF EARLY AND FUTURE FAILURE.

PLEASE PAY ATTENTION TO YOUR SOLDERING PROCESS.



| 290 E. HELEN ROAD | PALATINE, |L 60067-6976 | PHONE: +1.847.359.2790 | U.S. WEB: | WAYN |LIMBER COM

US WEB: www.lumex.com TW WEB: www.lumex.com.tw

DRAWN BY: CI

CT

CHECKED BY: APPROVED BY: DATE:

DATE: 8.2.01 PAGE: 1 OF 1 SCALE: N/A