



Great for Beginners

PLA by Verbatim

3 mm , 1kg reel

Verbatim® PLA features vibrant colors and a smooth, glossy finish. PLA exhibits little-to-no warping and shrinking compared to other materials, which means it thrives when making larger objects featuring flat surfaces and hard angles, or requiring tight tolerances for fit. As a subsidiary of Mitsubishi Chemical Corporation, Verbatim leverages their decades of experience in the chemical and computer industries to create this premium PLA for desktop 3D printing.


PRODUCT ALERT (1)

Additional Accessory Recommendation:

PLA absorbs heat and so benefits from additional active cooling. TAZ 1-3 users should install the Fan Add-on Kit.

Works with: LulzBot Mini, LulzBot TAZ 6, LulzBot TAZ 5, LulzBot TAZ 1-4, LulzBot TAZ/Mini Aerostruder, LulzBot TAZ Dual Extruder, LulzBot TAZ FlexyDually, LulzBot TAZ 6 Hexagon, LulzBot TAZ 5 Hexagon, LulzBot TAZ 1-4 Budaschnozzle

Colors



Features

PLA is commonly used for prototypes, educational and architectural models, and artifact replicas. It can also be treated with a variety of post-processing techniques such as sanding and gluing. PLA is a popular choice for users looking to paint objects after they have been printed, such as costume props and figurines.

Parts & Specifications

Filament Specifications

Filament Diameter: 2.9 mm (.114 inches)

Amount of Filament: 1 kg (2.2 lbs)

Filament color may vary

Printing Specifications

Tool Head: LulzBot Hexagon Hot End recommended

Hot End Temperature: 195°C-215°C

Print Surface: PEI film recommended

Print Surface Temperature: 60°C

Packaging Information

Verbatim PLA ships vacuum sealed with dessicant and mounted on a reel.