



Main

| | |
|------------------------------------|--|
| Range of Product | Telemecanique Cabling components |
| Accessory / separate part category | Cabling accessories |
| Accessory / Separate Part Type | Connector |
| Electrical connection | Straight male connector M12, 5 pins |
| Collar material | Metal |
| Status LED | Without |
| Cable connection | Spring 0.00 in ² (0.5 mm ²) 0.16...0.31 in (4...8 mm) |

Complementary

| | |
|--------------------------------|-----------------------|
| Cable connector fixing | Screw-on |
| [Ue] rated operational voltage | 30 V AC 36 V DC |
| Line Rated Current | 4 A |
| Enclosure Material | Metal |
| Minimum insulating resistance | 1000 GΩ |
| Contact resistance | 8000 μOhm |
| Net Weight | 0.04 lb(US) (0.02 kg) |

Environment

| | |
|---------------------------------------|----------------------------|
| IP Degree of Protection | IP67 |
| Ambient Air Temperature for Operation | -40...185 °F (-40...85 °C) |




Ordering and shipping details

| | |
|-----------------------|----------------------|
| Category | 22483-MACHINE CABLES |
| Discount Schedule | DS3 |
| GTIN | 3389119053181 |
| Nbr. of units in pkg. | 1 |
| Package weight(Lbs) | 1.34 oz (38.0 g) |
| Returnability | No |
| Country of origin | DE |

Packing Units

| | |
|------------------------------|------------------------|
| Unit Type of Package 1 | PCE |
| Package 1 Height | 0.79 in (2 cm) |
| Package 1 width | 1.38 in (3.5 cm) |
| Package 1 Length | 1.97 in (5 cm) |
| Unit Type of Package 2 | S02 |
| Number of Units in Package 2 | 100 |
| Package 2 Weight | 9.04 lb(US) (4.099 kg) |
| Package 2 Height | 5.91 in (15 cm) |
| Package 2 width | 11.81 in (30 cm) |
| Package 2 Length | 15.75 in (40 cm) |


Offer Sustainability

| | |
|----------------------------|---|
| California proposition 65 | WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| REACH Regulation |  REACH Declaration |
| REACH free of SVHC | Yes |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope)  EU RoHS Declaration |
| Toxic heavy metal free | Yes |
| Mercury free | Yes |
| RoHS exemption information |  Yes |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Dimensions



(1) Cable gland : no. 7 plastic (Pg 7)

Connections and Schemes

