

# Evaluation Board User Guide

One Technology Way • P.O. Box 9106 • Norwood, MA 02062-9106, U.S.A. • Tel: 781.329.4700 • Fax: 781.461.3113 • www.analog.com

### Ultralow Power, $\pm 2 g/\pm 4 g/\pm 8 g$ Digital Accelerometer Breakout Board

#### **FEATURES**

2 sets of spaced vias for population of 5-pin headers Easily attached to prototyping board or PCB Small size and board stiffness minimize impact on the system and acceleration measurements

#### **EQUIPMENT NEEDED**

**External host processor** 

#### **DOCUMENTS NEEDED**

**ADXL362** data sheet

#### **GENERAL DESCRIPTION**

The EVAL-ADXL362Z is a simple evaluation board that allows quick evaluation of the performance of the ADXL362 ultralow power, 3-axis, digital output MEMS accelerometer. The EVAL-ADXL362Z is ideal for evaluation of the ADXL362 in an existing system because the stiffness and the small size of the evaluation board minimize the effect of the board on both the system and acceleration measurements.

#### PRINTED CIRCUIT BOARD LAYOUT




Figure 1.

# UG-351

# **Evaluation Board User Guide**

## **TABLE OF CONTENTS**

Features	1
Equipment Needed	1
Documents Needed	
General Description	
Printed Circuit Board Layout	
Revision History	2
Evaluation Board Hardware	3

Circuit Description	
Handling Considerations	
Evaluation Board Schematics and Artwork	4
Ordering Information	
Bill of Materials	
Palatad Links	

#### **REVISION HISTORY**

9/12—Revision 0: Initial Version

### **EVALUATION BOARD HARDWARE**

The EVAL-ADXL362Z has two sets of 0.1 inch spaced vias for population of 5-pin headers to provide access to all power and signal lines. The vias or headers allow the evaluation board to be attached either to a prototyping board (breadboard) or to a printed circuit board (PCB) in an existing system. Four holes are provided in the corners of the board for mechanical attachment of the EVAL-ADXL362Z to the application. An external host processor is required for communication to the part.

The dimensions of the EVAL-ADXL362Z are 20 mm  $\times$  20 mm. The four mounting holes are set 15 mm  $\times$  15 mm at the corners of the PCB.

#### **CIRCUIT DESCRIPTION**

The PCB layout of the EVAL-ADXL362Z is shown in Figure 1. The EVAL-ADXL362Z is equipped with three factory installed capacitors for bypass: two 0.1  $\mu$ F capacitors (C1 and C2) and a 10  $\mu$ F capacitor (C3). C2 and C3 are VS bypass capacitors for

reducing analog supply noise and C1 (located between VDDIO and GND) is for reducing digital clocking noise.

The schematic of the EVAL-ADXL362Z is shown in Figure 2. See the ADXL362 data sheet for information on configuring the accelerometer following its connection to the application host processor.

#### HANDLING CONSIDERATIONS

The EVAL-ADXL362Z is not reverse polarity protected. Reversing the VS or VDDIO supply and GND pins can cause damage to the ADXL362.

Dropping the EVAL-ADXL362Z on a hard surface can generate several thousand *g* of acceleration, which may exceed the data sheet absolute maximum limits. See the ADXL362 data sheet for more information.

## **EVALUATION BOARD SCHEMATICS AND ARTWORK**




Figure 2. EVAL-ADXL362Z Schematic

## **ORDERING INFORMATION**

### **BILL OF MATERIALS**

#### Table 1.

Item	Qty	Reference Designator	Description	Manufacturer	Part Number
1	1	U1	Ultralow power MEMS accelerometer	Analog Devices, Inc.	ADXL362BCCZ-ENG
2	2	C1, C2	0.1 μF ceramic capacitor, 50 V, 10%, X7R	CAL-CHIP	GMC10X7R104K50NTLF
3	1	C3	10 μF tantalum capacitor, 10 V, 10%	CAL-CHIP	TCKIA106ATL

### **RELATED LINKS**

Resource	Description
ADXL362	Product page, ADXL362
EVAL-ADXL362Z	ADXL362 breakout board page
EVAL-ADXL362Z-M	Ultralow power inertial sensor evaluation board page

UG-351 Evaluation Board User Guide

# NOTES

# NOTES

**Evaluation Board User Guide** 

UG-351

### **NOTES**



#### SD Caution

**ESD** (electrostatic discharge) sensitive device. Charged devices and circuit boards can discharge without detection. Although this product features patented or proprietary protection circuitry, damage may occur on devices subjected to high energy ESD. Therefore, proper ESD precautions should be taken to avoid performance degradation or loss of functionality.

#### Legal Terms and Conditions

By using the evaluation board discussed herein (together with any tools, components documentation or support materials, the "Evaluation Board"), you are agreeing to be bound by the terms and conditions set forth below ("Agreement") unless you have purchased the Evaluation Board, in which case the Analog Devices Standard Terms and Conditions of Sale shall govern. Do not use the Evaluation Board until you have read and agreed to the Agreement. Your use of the Evaluation Board shall signify your acceptance of the Agreement. This Agreement is made by and between you ("Customer") and Analog Devices, Inc. ("ADI"), with its principal place of business at One Technology Way, Norwood, MA 02062, USA. Subject to the terms and conditions of the Agreement, ADI hereby grants to Customer a free, limited, personal, temporary, non-exclusive, non-sublicensable, non-transferable license to use the Evaluation Board FOR EVALUATION PURPOSES ONLY. Customer understands and agrees that the Evaluation Board is provided for the sole and exclusive purpose referenced above, and agrees not to use the Evaluation Board for any other purpose. Furthermore, the license granted is expressly made subject to the following additional limitations: Customer shall not (i) rent, lease, display, sell, transfer, assign, sublicense, or distribute the Evaluation Board; and (ii) permit any Third Party to access the Evaluation Board. As used herein, the term "Third Party" includes any entity other than ADI, Customer, their employees, affiliates and in-house consultants. The Evaluation Board is NOT sold to Customer; all rights not expressly granted herein, including ownership of the Evaluation Board, are reserved by ADI. CONFIDENTIALITY. This Agreement and the Evaluation Board shall all be considered the confidential and proprietary information of ADI. Customer may not disclose or transfer any portion of the Evaluation Board to any other party for any reason. Upon discontinuation of use of the Evaluation Board or termination of this Agreement, Customer agrees to promptly return the Evaluation Board to ADI. ADDITIONAL RESTRICTIONS. Customer may not disassemble, decompile or reverse engineer chips on the Evaluation Board. Customer shall inform ADI of any occurred damages or any modifications or alterations it makes to the Evaluation Board, including but not limited to soldering or any other activity that affects the material content of the Evaluation Board. Modifications to the Evaluation Board must comply with applicable law, including but not limited to the RoHS Directive. TERMINATION. ADI may terminate this Agreement at any time upon giving written notice to Customer, Customer agrees to return to ADI the Evaluation Board at that time, LIMITATION OF LIABILITY, THE EVALUATION BOARD PROVIDED HEREUNDER IS PROVIDED "AS IS" AND ADI MAKES NO WARRANTIES OR REPRESENTATIONS OF ANY KIND WITH RESPECT TO IT. ADI SPECIFICALLY DISCLAIMS ANY REPRESENTATIONS, ENDORSEMENTS, GUARANTEES, OR WARRANTIES, EXPRESS OR IMPLIED, RELATED TO THE EVALUATION BOARD INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, TITLE, FITNESS FOR A PARTICULAR PURPOSE OR NONINFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS. IN NO EVENT WILL ADI AND ITS LICENSORS BE LIABLE FOR ANY INCIDENTAL, SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES RESULTING FROM CUSTOMER'S POSSESSION OR USE OF THE EVALUATION BOARD, INCLUDING BUT NOT LIMITED TO LOST PROFITS, DELAY COSTS, LABOR COSTS OR LOSS OF GOODWILL. ADI'S TOTAL LIABILITY FROM ANY AND ALL CAUSES SHALL BE LIMITED TO THE AMOUNT OF ONE HUNDRED US DOLLARS (\$100.00). EXPORT. Customer agrees that it will not directly or indirectly export the Evaluation Board to another country, and that it will comply with all applicable United States federal laws and regulations relating to exports. GOVERNING LAW. This Agreement shall be governed by and construed in accordance with the substantive laws of the Commonwealth of Massachusetts (excluding conflict of law rules). Any legal action regarding this Agreement will be heard in the state or federal courts having jurisdiction in Suffolk County, Massachusetts, and Customer hereby submits to the personal jurisdiction and venue of such courts. The United Nations Convention on Contracts for the International Sale of Goods shall not apply to this Agreement and is expressly disclaimed.

©2012 Analog Devices, Inc. All rights reserved. Trademarks and registered trademarks are the property of their respective owners. UG10372-0-9/12(0)



www.analog.com