

MODEL NUMBER
TRM-2444-MO-SMA-02


NOTES:

1.0 ELECTRICAL SPECIFICATIONS:

- 1.1 FREQUENCY RANGE: DC to 18.0 GHz
- 1.2 MAXIMUM INPUT POWER: 0.5 WATTS @ +25°C
DERATED LINEARLY TO 0 WATTS @ +125°C
- 1.3 OPERATING TEMP. RANGE: -55°C to +125°C
- 1.4 IMPEDANCE: 50 OHMS
- 1.5 VSWR: 1.05 +0.008f(GHz)


2.0 MARKING: MARK UNIT AS SHOWN
(REF.: INK-09035-27-07)

3.0 DIMENSIONS IN PARENTHESIS ARE IN
MILLIMETERS.



DWG NO. WAS: 02359-01-00

REV.	DESCRIPTION	DATE
-	RELEASED	3/21/79
A	ECR 1062	1/13/81
B	ECR 6545	6/29/89
B1	REDRAW ON CAD	8/30/91
C	ECN 13432	3/9/94
C1	ADDED TITLEBLOCK	11/15/05

NOTICE: The information contained in this drawing is proprietary and must not be used without the permission of Emerson Network Power. UNLESS OTHERWISE NOTED DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 3 PLACE DECIMALS ±.005 2 PLACE DECIMALS ±.02 FRACTIONS ±1/64 PARALLELITY: T.I.R. _____ FLATNESS: T.I.R. _____ CONCENTRICITY: T.I.R. _____ ANGLES AND PERPENDICULARITY: ±1°		CAGE CODE 34078	MIDWEST MICROWAVE	
 EMERSON Network Power Connectivity Solutions		TITLE TERMINATION OUTLINE DRAWING		
DRAWN/DATE A.BEATTY 8/30/91	ENG./DATE G.KOZAK 9/3/91	DRAWING NUMBER TRM-2444-MO-SMA-02-01		REV. C1
CHECKED/DATE C.RICKARD 9/3/91	APPROVED/DATE	SCALE: 5=1	SHEET 1 of 1	