



NOTES:

1. MATERIAL: 0.30/(.012) THICK BRASS
2. FINISH: HOT TIN DIP, 0.00051/(.000020) MIN.
3. PRODUCT SPECIFICATION: PS-43374-001
4. DIMENSIONS FOR REFERENCE ONLY.
5. NO PORTION OF THE LOCK TANG BEAM SHALL TOUCH ANY PORTION OF THE OTHER LOCK TANG BEAM.
6. SINGLE CRIMP TO 22-24 AWG WIRE, UL 1007/1569 INSULATION.

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
	DIMENSION UNITS	SCALE	CURRENT REV DESC: RELEASED								
$\frac{F}{A} = 0$	MM/INCH	10:1	molex TERMINAL, RECEPTACLE .125/(3.18)X.020/(0.51) FLAT BLADE SYSTEM, FOR 22-24 AWG WIRE								
$\frac{E}{C} = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)										
$\frac{E}{P} = 0$	ANGULAR TOL ± 0.5°		EC NO: 662027 DRWN: MKIPPER 2021/04/26 CHK'D: SSOUSEK 2021/05/05 APPR: FSMITH 2021/05/10								
DIVISIONAL SYMBOLS	4 PLACES ±		PRODUCT CUSTOMER DRAWING								
	3 PLACES ±		DOCUMENT NUMBER								
	2 PLACES ± 0.25		433747001-SD								
	1 PLACE ± 0.35		DOC TYPE DOC PART REVISION								
0 PLACES ±		INITIAL REVISION:		2021/04/26		PSD		000		A	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER	
				C-SIZE		43374		43374-7001		GENERAL MARKET	
										SHEET NUMBER	
										1 OF 1	

DOCUMENT STATUS	P1	RELEASE DATE	2021/05/10	16:52:28
-----------------	----	--------------	------------	----------