AFAG3030-SG3

Request Samples



Check Inventory (S)



30 x 30 x 0.2 mm RoHS/RoHS II Compliant MSL Level = N/A

Features

- Multiband GNSS Coverage GPS/GLONASS/BeiDou/Galileo
- Ultra-Low Profile
- Flexible Structure
- Peal-and-stick Mount
- Easy installation using IPEX Connector (Customizable Cable and Connector Options)

Applications

- IoT
- M2M
- Geofencing
- Remote Monitoring
- Logistics and Tracking
- Surveying and Mapping Systems

Electrical Specifications

Parameter		Specification			Unit
		Min	Тур	Max	Omt
Operating Frequency*		1550		1620	MHz
Bandwidth			70		MHz
VSWR				2.5	
Gain	Peak		$2 \sim 3$		dBi
	Average		0~1		
Input Power				3	W
Impedance		50			Ω
Polarization		Vertical			
Radiation Pattern (Azimuth)		Omni-directional			

^{*} All test measurements were conducted with the antenna on a 2 mm thick ABS surface. Please note that the operating frequency shifts with a change in housing material and thickness.

Mechanical Specifications

Parameter	Specification	
Antenna Dimension	30 x 30 x 0.2 mm	
Material	FPC	
Mounting Type*	Adhesive Tape (3M 467MP)	
RF Connector	IPEX - 1	
RF Cable	Ø1.13 mm, $L = 100 \pm 5 \text{ mm}$	

^{*}Do not mount the antenna on a metal surface.



AFAG3030-SG3

Request Samples (>)



Check Inventory (>)




30 x 30 x 0.2 mm **RoHS/RoHS II Compliant** MSL Level = N/A

Environmental Specification

Parameter	Specification		
Operating Temperature	-40°C to +85°C		
Storage Temperature	-40°C to +85°C		
RoHS Compliance	Yes		
PB Free	Yes		
MSL	Not Applicable		
ESD Sensitive	No		
Vibration	$10 \sim 55$ Hz with 1.5 mm amplitude 2 hrs		

Product Dimension



Unit: mm



AFAG3030-SG3

Request Samples




Check Inventory (>)



30 x 30 x 0.2 mm RoHS/RoHS II Compliant MSL Level = N/A

Test Measurement - VSWR





AFAG3030-SG3

Request Samples (>)




Check Inventory (>)



30 x 30 x 0.2 mm RoHS/RoHS II Compliant MSL Level = N/A

Radiation Characteristics





AFAG3030-SG3

Request Samples




Check Inventory (>)



30 x 30 x 0.2 mm RoHS/RoHS II Compliant MSL Level = N/A

Efficiency





AFAG3030-SG3

Request Samples



Check Inventory (>)



30 x 30 x 0.2 mm RoHS/RoHS II Compliant MSL Level = N/A

Packaging Information

Number of Antenna/ Carton: 2000

Dimension of the Carton: 630 x 460 x 105 mm

ATTENTION: Abracon LLC's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependent Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon LLC is required. Please contact Abracon LLC for more information.

