







REVISIONS					
REV	DATE	DESCRIPTION	BY	CHK	APP'D
A4	19APR2023	REVISED AS PER ECR-23-169440	JK	WH	



⚠ MATERIAL:
 HOUSING - PCT POLYESTER, BLACK, UL94V-0.
 OVERMOLDED TERMINAL ARRAY - PBT, BROWN.
 TERMINALS - 0.33 [.013] THICK PHOS BRONZE
 PLATED WITH 1.27um [.000050] MIN THICK
 HARD GOLD IN LOCALIZED AREA AND 3.81um
 [.000150] MIN THICK MATTE TIN IN SOLDER
 AREA OVER 1.27um [.000050] MIN THICK
 NICKEL UNDERPLATE.
 OUTER SHIELD AND INNER SHIELD - 0.25 [.010]
 THICK COPPER ALLOY PLATED WITH 1.27 um
 [.000050] MINIMUM NICKEL AND 2.03 um [.000080]
 MINIMUM HOT TIN DIP ON PCB GROUND TABS.

⚠ JACK CAVITY CONFORMS TO FCC RULES AND
 REGULATIONS, PART 68 SUBPART F.

⚠ DATE CODE LOCATED ON REAR OF PART
 APPROXIMATELY AS SHOWN:
 FIRST 2 DIGITS ARE LAST 2 DIGITS OF YEAR,
 SECOND 2 DIGITS ARE MANUFACTURING
 WORK WEEK,
 LAST DIGIT IS DAY OF WEEK, WITH SUNDAY = 1.



PC BOARD LAYOUT VIEWED FROM COMPONENT SIDE
 SCALE 2:1

SUGGESTED PANEL CUTOUT DIMENSIONS
 SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG NO. A. FERNANDEZ-DOCKS 15JUN2005	5569260-1 PART NUMBER	
DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK J. WESTMAN 15JUN2005	APVD S. FLICKINGER 15JUN2005	
0. PLC ± -	1. PLC ± -	NAME STACKED MODULAR JACK ASSEMBLY, 2x2 PORT, 8 POSITION, SHIELDED, PANEL GROUND, CATEGORY 5		
2. PLC ± 0.25(.01)	3. PLC ± 0.13(.005)	PRODUCT SPEC 108-1163-2		
4. PLC ANGLES ± -		APPLICATION SPEC 114-2048		
MATERIAL ⚠	FINISH ⚠	WEIGHT 0.000000	SIZE A1	SCALE 4:1
		CUSTOMER DRAWING	DWG NO. 00779	SHEET 1 OF 1