

1298081

https://www.phoenixcontact.com/us/products/1298081

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Connectors for energy storage, Connector, color: black, rated current: 350 A, Connection method: Screw/Solder connection

Commercial data

Item number	1298081
Packing unit	1 pc
Minimum order quantity	15 pc
Sales key	AB04
Product key	ABLDBA
GTIN	4063151536732
Weight per piece (including packing)	104.547 g
Weight per piece (excluding packing)	96 g
Customs tariff number	85359000
Country of origin	CN



1298081

https://www.phoenixcontact.com/us/products/1298081

Technical data

Product properties

Product type	Connectors for energy storage
Insulation characteristics	
Degree of pollution	2

Electrical properties

Rated voltage (III/2)	1500 V DC
Rated current	350 A
	350 A
	350 A
Contact resistance	≤ 0.5 mΩ
Nominal voltage U _N	1500 V DC

Material specifications

Color	black
Material	Polyamide
	Copper
	Silicon
Flammability rating according to UL 94	V0
Seal material	Silicon
Insulating material	PA
Contact material	Cu/Cu alloy

Cable/line

Halogen-free	yes

Mechanical properties

Mechanical data

Insertion/withdrawal cycles	100
Insertion force	≤ 75 N
Withdrawal force	≥ 10 N

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP65 (The panel is feed-through hole)
	IP65/IP67 (The panel is blind hole)
Ambient temperature (operation)	-40 °C 125 °C
Ambient temperature (storage/transport)	-40 °C 80 °C
Altitude	4000 m



1298081

https://www.phoenixcontact.com/us/products/1298081

Mounting

Connection method Screw/Solder connection



1298081

https://www.phoenixcontact.com/us/products/1298081

Classifications

ECLASS

ECLASS-11.0	27440390
ECLASS-12.0	27440390
ECLASS-13.0	27440390

ETIM

ETIM 8.0	EC001121



1298081

https://www.phoenixcontact.com/us/products/1298081

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com