


IBS IL 24 RB-T-2MBD-PAC

Order No.: 2861962



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2861962>

INTERBUS branch terminal block, 2MBD, with accessories, with remote bus branch, 24 V DC

Commercial data	
GTIN (EAN)	 4 017918 974626
sales group	K410
Pack	1 pcs.
Customs tariff	85389091
Catalog page information	Page 248 (AX-2009)

Product notes

WEEE/RoHS-compliant since:
05/14/2009



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Interface	
Name	Local bus
Type of connection	Inline data jumper
Name	INTERBUS remote bus branch
Transmission speed	2 MBaud

Inline potential routing

Communications power U_L	7.5 V DC $\pm 5\%$
Main circuit supply U_M	24 V DC -15% / +20% (in acc. with EN 61131-2)
Power supply at U_M	max. 8 A
Segment supply voltage U_S	24 V DC -15% / +20% (in acc. with EN 61131-2)
Power supply at U_S	max. 8 A
I/O supply voltage U_{ANA}	24 V DC -15% / +20%
Current consumption from U_{ANA}	29 mA

General data

Width	12.2 mm
Height	135 mm
Depth	71.5 mm
Mounting type	DIN rail

Certificates / Approvals



Certification

CUL Listed, GOST, UL Listed

Accessories

Item	Designation	Description
Marking		
0809492	ESL 62X10	Insert strip for laser printer, lettering field: 62 x 10 mm
2727501	IB IL FIELD 2	Labeling field, width: 12.2 mm
Plug/Adapter		
2726353	IB IL SCN-6 SHIELD	Inline shield connector

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;