



PART DESCRIPTIONS

NOMINAL SIZE	DIMENSION			BUNDLE RANGE	PART NUMBER (SEE NOTE 1)	
	A REF	B ±.008 REF ±.20	D ±.020 ±.51			E
1/8	.125 [3.18]	.032 [.81]	.061 [1.55]	.187 +/- .062 [4.75 +/- 1.58]	.063 to .500 [1.60 to 12.7]	1NFP_
		.015 [.38]	.095 [2.41]	.187 +/- .062 [4.75 +/- 1.58]		1FRP_
		.020 [.51]	.085 [2.16]	.187 +/- .062 [4.75 +/- 1.58]		1P_
1/4	.250 [6.35]	.045 [1.14]	.160 [4.06]	.375 +/- .125 [9.53 +/- 3.17]	.188 to 2.00 [4.75 to 50.8]	2NFP_
		.025 [.63]	.200 [5.08]	.375 +/- .125 [9.53 +/- 3.17]		2FRP_
		.030 [.76]	.190 [4.83]	.375 +/- .125 [9.53 +/- 3.17]		2P_
3/8	.375 [9.53]	.052 [1.32]	.271 [6.88]	.438 +/- .125 [11.13 +/- 3.17]	.313 to 3.00 [7.92 to 76.2]	2.5NFP_
		.035 [.89]	.305 [7.75]	.438 +/- .125 [11.13 +/- 3.17]		2.5FRP_
		.030 [.76]	.315 [8.00]	.438 +/- .125 [11.13 +/- 3.17]		2.5P_
1/2	.500 [12.70]	.062 [1.57]	.376 [9.55]	.563 +/- .125 [14.30 +/- 3.17]	.375 to 4.00 [9.52 to 102]	3FRP_
		.035 [.89]	.430 [10.92]	.500 +/- .125 [12.70 +/- 3.17]		3NFP_
		.030 [.76]	.440 [11.18]	.500 +/- .125 [12.70 +/- 3.17]		3P_
3/4	.750 [19.05]	.065 [1.65]	.620 [15.75]	.750 +/- .250 [19.05 +/- 6.35]	.750 to 5.00 [19.10 to 127]	4NFP_
		.032 [.81]	.686 [17.42]	.750 +/- .250 [19.05 +/- 6.35]		4FRP_
		.032 [.81]	.686 [17.42]	.750 +/- .250 [19.05 +/- 6.35]		4N_
7/8	.875 [22.23]	.032 [.81]	.811 [20.60]	.875 +/- .250 [22.23 +/- 6.35]	.630 to 6.00 [16.00 to 152]	4P_
		.080 [2.03]	.840 [21.34]	1.000 +/- .250 [25.40 +/- 6.35]		4.5N_
		.032 [.81]	.936 [23.77]	1.000 +/- .250 [25.40 +/- 6.35]		5NFP_
1	1.000 [25.40]	.040 [1.02]	.920 [23.37]	1.000 +/- .250 [25.40 +/- 6.35]	1.00 to 7.00 [25.40 to 178]	5FRP_
		.032 [.81]	.936 [23.77]	1.000 +/- .250 [25.40 +/- 6.35]		5N_
		.040 [1.02]	.920 [23.37]	1.000 +/- .250 [25.40 +/- 6.35]		5P_

NOTES:  
 1. MATERIAL DEFINITION AND APPROVALS:  
 NFP: NON-FLAME RETARDANT POLYETHYLENE  
 • MIL P-21922B  
 • MIL A-A-59602 TYPE I  
 • FED SPEC LP390C  
 FRP: FLAME RETARDANT POLYETHYLENE  
 • NONE  
 N: NYLON  
 • ASTM D4066-13-PA0211  
 P: P.T.F.E. - TEFLON  
 • ASTM D3295  
 2. CUSTOM CUT LENGTH TOLERANCE ±.25[6.35]



△.06  
 PART NUMBER DESCRIPTION:  
 1NFP\_ — CUSTOM CUT LENGTH (CONSULT FACTORY FOR QUOTE - SEE NOTE 2)  
 — COLOR (CONSULT FACTORY FOR AVAILABLE COLORS)

REDUCED  
NO SCALE

**HellermannTyton**  
 ALL PROPRIETARY RIGHTS IN THE SUBJECT MATTER SHOWN ON THIS DRAWING ARE EXCLUSIVE PROPERTY OF HELLERMANN TYTON

name	date	city, state

NOTES

REVISIONS

level	date	by	ECN #	part level
06	12/04/2020	CAS	016233	-

TOLERANCES  
 .XXXX= UNLESS OTHERWISE SPECIFIED  
 .XXX= NOTED  
 .XX= NOTED  
 .X= UNLESS OTHERWISE SPECIFIED  
 ∠= UNLESS OTHERWISE SPECIFIED  
 units inches/[mm]

PART

number	SEE CHART	phase	PRODUCTION
name	SPIRALWRAP		
material	SEE NOTE 1		

DRAWING

FORMAT B version M	CAD	ACAD	scale	1X
computer file number	DT\SER\2005100_05		previous number	
drawn	G.G.G.	checked	K.A.C.	approved
date	01/07/93	date	07/27/06	approved
type	SERIES		sheet 1 of 1	
number	DT2005100SER			