

Data sheet | Item number: 280-432

Operating tool; made of insulating material; 2-way; white

www.wago.com/280-432



Data

Technical data

| | |
|-----------------------|----------------|
| Main product function | Operating tool |
| Number of spacings | 2 -way |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Physical data

| | |
|-------------|----------------------|
| Depth | 150 mm / 5.91 inches |
| Pin spacing | 5/5.08 mm |

Mechanical Data

| | |
|----------|--|
| Suitable | for male and female connectors with CAGE CLAMP® connection |
|----------|--|

Material Data

| | |
|-----------|----------|
| Color | white |
| Fire load | 0.308 MJ |
| Weight | 10.1 g |

Commercial data

| | |
|-----------------------|----------------------------------|
| Product Group | 1 (Rail Mounted Terminal Blocks) |
| eCl@ss 10.0 | 27-14-11-92 |
| eCl@ss 9.0 | 27-14-11-92 |
| ETIM 8.0 | EC002848 |
| ETIM 7.0 | EC002848 |
| PU (SPU) | 100 (1) pcs |
| Packaging type | box |
| Country of origin | DE |
| GTIN | 4017332270618 |
| Customs tariff number | 82055980000 |

Environmental Product Compliance

| | |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

Downloads

Documentation

Bid Text

| | | | |
|------------------------|-------------|----------------|----------|
| 280-432 X81 - Datei | 2019 年2月19日 | xml 2.6 kB | Download |
| 280-432 | 2018 年1月4日 | doc 24.1 kB | Download |

Subject to changes. Please also observe the further product documentation!

doc - Datei

Environmental Product Compliance

Compliance Search


Environmental Product Compliance 280-432

URL

Download

Operating tool; made of insulating material; 2-way; white

Installation Notes



Inserting a male connector via multipole operating tool.

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.