



- MATES WITH RECEPTACLE 207020-1.
- TIN OVER NICKEL PER QQ-N-290.
- GOLD FLASH PER MIL-G-45204 OVER 1.27µm [.000050] MIN NICKEL PER QQ-N-290 ON ENTIRE CONTACT, WITH 0.76µm [.000030] MIN GOLD PER MIL-G-45204 ON ELECTRICAL ENGAGEMENT AREA ONLY.
- ALL CIRCUITS COMMONED TO BUS.
- CONNECTOR IS DIVIDED LENGTHWISE WITH CIRCUITS 1, 2, 5, 6, 9, 10, 13, 14, 17, 18, 21, 22, 25, 26, 29, 30, 33 AND 34 COMMONED, AND CIRCUITS 3, 4, 7, 8, 11, 12, 15, 16, 19, 20, 23, 24, 27, 28, 31, 32, 35 AND 36 COMMONED.
- WILL ACCEPT RING TONGUE TERMINALS, STUD SIZE 10.
- LEAD FREE TIN OVER NICKEL PER QQ-N-290

OBsolete	BJS TYPE	CONTACT FINISH	PART NO
	FULL, 36 POSITION		208063-5
	DUAL, 18 POSITION		208063-4
	FULL, 36 POSITION		208063-3
	DUAL, 18 POSITION		208063-2
	FULL, 36 POSITION		208063-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DATE: 11/21/17 10/05/06
 BY: J. GELTZ 8-27-02
 CHECKED: J. McCLELLIN 8-27-02
 APPROVED: J. DAVIS 8-27-02

Supernova
 Tyco Electronics Corporation
 Harrisburg, Pa

COMMONING DEVICE ASSEMBLY,
 36 POSITION, METRIMATE

DRAWING NO: 00779
 CUSTOMER NO: C-208063

SCALE: 2:1 SHEET: 1 OF 1 REV: F