9900 Series Static Control Anti-Fatigue Mat


Static Control Anti-Fatigue Mats meet ANSI/ESD S20.20 flooring required limit tested per ANSI/ESD STM7.1 and ESD TR53. Resistance range able to remove electrostatic charges when grounded (ground cord sold separately).

Static Control Anti-Fatigue Mats enable workers to stand comfortably for long periods while minimizing the fatigue associated with standing work. Manufactured from durable rubber, Anti-Fatigue Mats consist of a matrix of hollow cylinders that function like a spring when compressed. Mats are easy to install and can be used at assembly and manufacturing workstations, warehouse and shipping areas, medical laboratories and in field service. These mats provide a durable cushion that is designed to offer secure, stable footing and an energizing responsiveness. Their structure provides a stable surface supported by rubber cells that soften in response to surface activity. These cells provide some of the most effective cushioning solutions because the Static Control Anti-Fatigue Mats get softer as compressed, not harder like products made of foam.


| Specifications | Typical Value | Test Method |
|--|---|------------------------------|
| Size | Standard: 3' x 5' (0.9 m x 1.5 m) Octagonal: 22" (55.9 cm) Diameter Runners: 3' W x Custom Length | |
| Thickness* | 0.600" (1.52 cm) with Beveled Edge | |
| Durometer | 46 Shore A | |
| Composition | SBR Rubber Polymers | |
| Resistance: Surface to Ground Snap (Rtg) | < 1 x 10 ⁵ ohms | ANSI/ESD STM7.1 and ESD TR53 |
| Surface to Ground (Rtt) | < 2 x 10 ⁵ ohms | ANSI/ESD STM7.1 and ESD TR53 |
| General | | |
| Cleaning | Sweep, Vacuum or Damp Mop | |
| Color* | Black | |
| Edges | Solid Molded Rubber | |




Specifications and procedures subject to change without notice.



Mat at rest.



Mat under impact.



Mat when rebound.







| Item | Size | Description |
|-------------|--|-----------------|
| 9900 | 3' x 5' (0.9 m x 1.5 m) | Mat |
| <u>9910</u> | 3' x custom length (Max. Length = 75') | Runner |
| 9920 | 22" (0.558 m) | Octagonal Shape |

9900 & 9920 Include:

1 3040 15' (4.6 m) Ground Cord





926 JR Industrial Drive, Sanford, NC 27332 WEB SITE: StaticControl.com

PHONE (919) 718-0000

DRAWING NUMBER 9900 August 2015