# Data sheet | Item number: 285-415

Protective warning marker; for 5 terminal blocks; with high-voltage symbol, black; yellow



www.wago.com/285-415

Picture differs from the item.	
	Color:

 $\label{lem:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

### Data sheet | Item number: 285-415

www.wago.com/285-415



## Data Material Data

Note (material data)

Information on material specifications can be found here

Color	yellow
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	VO
Fire load	0.057 MJ
Weight	1.9 g

## Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	50 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332286992
Customs tariff number	39269097900

# **Environmental Product Compliance**

RoHS Compliance Status	Compliant.No Exemption	

#### **Downloads**

## Documentation

Additional Information

pdf 2.3 MB Download

### CAD/CAE-Data

#### CAE data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

## Data sheet | Item number: 285-415

www.wago.com/285-415



WSCAD Universe 285-415	URL	Download
CAD data		
2D/3D Models 285-415	URL	Download
Environmental Product Compliance		
Compliance Search		
Environmental Product Compliance 285-415	URL	Download
Protective warning marker; for 5 terminal blocks; with high-voltage symbol, black; yellow		
<u> </u>		

#### **Installation Notes**

Protective warning markers inserted into the operating slots

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.