


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AF	50	A1	ECR-15-005665	10AUG2015	BDA PKS



- 1 SLOT TERMINATES A SINGLE MAGNET WIRE, COPPER RANGE IS 0.64-0.81mm [#22-#20] AWG. ALUMINUM RANGE IS 0.72-0.91mm [#21-#19] AWG. ALUMINUM WIRE RANGE APPLIES FOR POST-TIN PLATED VERSIONS ONLY.
- 2 AFTER INSERTION INTO PLASTIC HOLDER TAB PORTION MUST BE BENT OVER 45° TO 90° OR POTTED-IN TO PREVENT PULL-OUT WHEN MATING RECEPTACLE IS DISCONNECTED.



62658-1
PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S.URICH 08JUN98	TE connectivity	
DIMENSIONS: mm [INCHES]		CHK M.S.FEHER 08JUN98		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD N.E.NEFF 08JUN98	NAME	
0 PLC ± -		108-2012		
1 PLC ± -		114-2046		
2 PLC ± 0.25[.010]		SIZE CAGE CODE DRAWING NO RESTRICTED TO		
3 PLC ± -		A2 00779 G-62658		
4 PLC ± -		SCALE 5:1 SHEET 1 OF 1 REV A1		
ANGLES ± -		CUSTOMER DRAWING		
FINISH		WEIGHT		
4M HARD PRE-MILLED BRASS		-		
0.002032 [.000080] MIN TIN				