


# WarpISR™ Design Kit for CPLDs

## Features

- Complete design and programming kit for In-System Reprogrammable™ (ISR™) CPLDs
- Industry-leading *Warp*® design software for VHDL and Verilog
- Easy-to-use ISR PC programmer for on-board programming
- C3ISR programming cable that supports all Programmable Serial Interface™ (PSI™), Delta39K™, and Ultra37000™ devices. Please refer to the *Programming with Delta39K* application note. (For ISR programming of FLASH370i™ devices, please refer to the CY3600i data sheet.)
- Standard Windows® GUI
- Delta39K\Ultra37000 Prototype Board

## Functional Description

*WarpISR* is a complete ISR CPLD design and programming solution. It includes *Warp* software and the Delta39K\Ultra37000 ISR Programming Kit. *Warp* is a state-of-the-art HDL compiler for designing with Cypress's Complex Programmable Logic Devices (CPLDs). For a complete description of *Warp*, please see the CY3120 data sheet. For a complete description of the ISR PC programmer, please see the CY3900i Delta39K\Ultra37000 ISR Programming Kit data sheet.




**Figure 1. Connecting the ISR Programming Cable**

Figure 1 shows the *WarpISR* kit in action with *Warp* used for design and the C3ISR programming cable for programming. The ISR programmer connects the PC parallel port directly to your board, allowing you to easily reprogram devices when you make design changes. Multiple devices can be programmed in series, and ISR devices are cascadable with other IEEE 1149.1-compliant devices for convenient programming.

To facilitate easy and quick prototyping of designs, a Delta39K\Ultra37000 Prototype Board has been included with *WarpISR* (see Figure 2 for the basic layout). The prototype board comes with an Ultra37256VP160 and a Delta39100V208 device already premounted and header strips that facilitate signal testing. Detailed information on the board layout and proper usage may be found in the Cypress application note *Using the Delta39K ISR Prototype Board*.

## Delta39K\Ultra37000 Prototype Board



**Figure 2. Delta39K\Ultra37000 Prototype Board**

### Warp Software System Requirements

- IBM PC or equivalent (Pentium® class recommended)
- 32 Mb of RAM (64 Mb recommended)
- 110-Mb disk space
- CD-ROM drive
- Windows 98, Windows NT® 4.0, Windows XP
- Internet access to download upgrades

### ISR Software PC System Requirements

- IBM PC or compatible running Windows 98, Windows 98 Second Edition, Windows ME, Windows NT 4.0 Service Pack 5 or later, or Windows 2000 Service Pack 1 or later
- One free parallel port
- Minimum of 32 MB of RAM

- Approximately 30 MB free hard disk space

### Ordering Information

Product Code	Description
CY3620R62	WarpISR Design Kit for CPLDs

#### WarpISR includes:

- CD-ROM with *Warp* and on-line documentation
- HDL for Programmable Logic textbook by Kevin Skahill
- 3ISR Programming Cable
- CD-ROM with ISR Programming Software Release 3.0
- ISR Application Notes
- Delta39KUltra37000 Prototype board with an Ultra37256VP160 and a Delta39100V208 device
- Registration Card

Pentium is a registered trademark of Intel Corporation. Windows and Windows NT are registered trademarks of Microsoft Corporation. *Warp* is a registered trademark, and ISR, In-System Reprogrammable, *WarpISR*, PSI, Ultra37000, Delta39K, and FLASH370i are trademarks, of Cypress Semiconductor. All product and company names mentioned in this document may be the trademarks of their respective holders.

**Document History Page**

<b>Document Title: CY3620 WarpISR™ Design Kit for CPLDs</b>				
<b>Document Number: 38-03048</b>				
<b>REV.</b>	<b>ECN NO.</b>	<b>Issue Date</b>	<b>Orig. of Change</b>	<b>Description of Change</b>
**	109966	09/17/01	SZV	Change from Spec number: 38-00592 to 38-03048
*A	111242	01/21/02	CNH	Updated Product Code, removed references to Windows 95, removed references to Japanese Windows
*B	116896	08/30/02	FSG	Added Windows XP and Internet Access
*C	127866	08/18/03	FSG	Removed Quantum38K from all pages