

**Data sheet | Item number: 280-310**

Separator plate; 2 mm thick; oversized; gray

[www.wago.com/280-310](http://www.wago.com/280-310)



**Data**

**Physical data**

Width	2 mm / 0.079 inches
Height	52.5 mm / 2.067 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Depth	26.4 mm / 1.039 inches
-------	------------------------

## Material Data

Note (material data)

Information on material specifications can be found here

Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.059 MJ
Weight	1.9 g

## Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C

## Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	CN
GTIN	4017332150200
Customs tariff number	85389099990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Required accessories

### End plate

Through terminal block	
<b>Item no.: 280-901</b>	
2-conductor through terminal block; 2.5 mm <sup>2</sup> ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE	<a href="http://www.wago.com/280-901">www.wago.com/280-901</a>

Subject to changes. Please also observe the further product documentation!



CLAMP®; 2,50 mm²; gray

**Item no.: 280-904**2-conductor through terminal block; 2.5 mm²; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; blue [www.wago.com/280-904](http://www.wago.com/280-904)**Item no.: 280-902**2-conductor through terminal block; 2.5 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; orange [www.wago.com/280-902](http://www.wago.com/280-902)**Item no.: 280-903**2-conductor through terminal block; 2.5 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; red [www.wago.com/280-903](http://www.wago.com/280-903)**Item no.: 280-905**2-conductor through terminal block; 2.5 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; black [www.wago.com/280-905](http://www.wago.com/280-905)**Item no.: 280-906**2-conductor through terminal block; 2.5 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; yellow [www.wago.com/280-906](http://www.wago.com/280-906)

## Disconnect terminal block

**Item no.: 280-914**2-conductor disconnect terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; blue [www.wago.com/280-914](http://www.wago.com/280-914)**Item no.: 280-913**2-conductor disconnect terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; orange [www.wago.com/280-913](http://www.wago.com/280-913)**Item no.: 280-912**2-conductor disconnect terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; gray [www.wago.com/280-912](http://www.wago.com/280-912)

## Component terminal block with diode

**Item no.: 280-915/281-410**Component terminal block; 2-conductor; with diode 1N4007; anode, left side; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; gray [www.wago.com/280-915/281-410](http://www.wago.com/280-915/281-410)**Item no.: 280-915/281-411**Component terminal block; 2-conductor; with diode 1N4007; anode, right side; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; gray [www.wago.com/280-915/281-411](http://www.wago.com/280-915/281-411)

## Ground terminal block

**Item no.: 280-907**2-conductor ground terminal block; 2.5 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; green-yellow [www.wago.com/280-907](http://www.wago.com/280-907)**Downloads****Documentation****Bid Text**

280-310	2019 年2月19 日	xml	Download
X81 - Datei		2.6 kB	

Subject to changes. Please also observe the further product documentation!

WAGO GmbH &amp; Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



280-310	2017 年4月28 日	doc 24.1 kB	Download
doc - Datei			

**Additional Information**

		pdf 2.3 MB	Download
--	--	---------------	----------

**CAD/CAE-Data**

**CAD data**

2D/3D Models 280-310		URL	Download
----------------------	--	-----	----------

**CAE data**

WSCAD Universe 280-310		URL	Download
------------------------	--	-----	----------

ZUKEN Portal 280-310		URL	Download
----------------------	--	-----	----------

EPLAN Data Portal 280-310		URL	Download
---------------------------	--	-----	----------

**Environmental Product Compliance**

**Compliance Search**

Environmental Product Compliance 280-310 Separator plate; 2 mm thick; oversized; gray		URL	Download
------------------------------------------------------------------------------------------	--	-----	----------

**Installation Notes**

Subject to changes. Please also observe the further product documentation!