1295670

https://www.phoenixcontact.com/us/products/1295670

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



CHARX connect, Repair kit, Accessories, with DC contact holder with integrated front part of the DC contacts, with special bit for insulated screwdriver, HPC CCS type 2, IEC 62196-3-1, housing: black, Replacement without draining the coolant

Your advantages

- Complete product range
- Developed and produced in accordance with the IATF 16949 automotive standard and ISO 9001
- · Maintenance-friendly replacement of the mating face frame without draining the coolant

Commercial data

Item number	1295670
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	EM01
Product key	XWBAFD
GTIN	4063151532901
Weight per piece (including packing)	215.1 g
Weight per piece (excluding packing)	215.1 g
Customs tariff number	85389099
Country of origin	DE

1295670

https://www.phoenixcontact.com/us/products/1295670



Technical data


General	Replacement without draining the coolant
duct properties	
Product type	Repair kit
Product family	CHARX connect
Туре	Accessories
Design	with DC contact holder with integrated front part of the DC contacts
	with special bit for insulated screwdriver
Charging standard	HPC CCS type 2
Charging mode	Mode 4
terial specifications	block (0005)
Color (Housing)	black (9005)
vironmental and real-life conditions	
Ambient temperature (operation)	-30 °C 50 °C
Ambient temperature (storage/transport)	-40 °C 80 °C
andards and regulations	
Standards/regulations	IEC 62196-3-1
Stanuarus/regulations	IEC 02 190-3-1

1295670

https://www.phoenixcontact.com/us/products/1295670

. .

Drawings



Assembly drawing



https://www.phoenixcontact.com/us/products/1295670



Classifications

ECLASS

ECLASS-11.0	27144792
ECLASS-12.0	27144792
ECLASS-13.0	27144792

ETIM

	ETIM 8.0	EC002884	
UNSPSC			
	UNSPSC 21.0	39121500	

1295670

https://www.phoenixcontact.com/us/products/1295670



Accessories

TSD-M 3NM - Torque screwdriver

1212225

https://www.phoenixcontact.com/us/products/1212225



Torque screw driver, accuracy as per EN ISO 6789 standard, adjustable from 1. 2 - 3 Nm

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com