# Data sheet | Item number: 831-321

Lockout pin; for male connectors; 2 parts; light gray

www.wago.com/831-321



Color:

Data

Physical data

 Width
 8.3 mm / 0.327 inches

 Height
 9.3 mm / 0.366 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

## Data sheet | Item number: 831-321

www.wago.com/831-321



## **Mechanical Data**

Mounting type	Snap-in flange
Mounting type	Feed-through mounting
Suitable	for snap-in frames, 831 Series

## **Material Data**

Note (material data)

Information on material specifications can be found here

Color	light gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	VO
Weight	0.8 g

## Commercial data

eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	100 pcs
Packaging type	box
Country of origin	DE
GTIN	4055143564939
Customs tariff number	39269097900

# **Environmental Product Compliance**

RoHS Compliance Status	Compliant.No Exemption	

# Downloads

**Documentation** 

**Additional Information** 

2019 年4月3日	pdf	Download
	2.0 MB	

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

## Data sheet | Item number: 831-321

www.wago.com/831-321



## CAD/CAE-Data

CAD data

2D/3D Models 831-321	URL	Download
CAE data		
ZUKEN Portal 831-321	URL	Download
Environmental Product Compliance		

Compliance Search

Environmental Product Compliance 831-321 URL Download Lockout pin; for male connectors; 2 parts; light gray

## **Installation Notes**

Installation				

Inserting a female connector without lateral locking levers

– lockout pins are inserted on both sides of the snap-in frame.

## **Product family**

MCS MAXI 6

Show all products from the family

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.