
C1N4156 CN4157 CN5179

SILICON FORWARD REFERENCE DIODES





www.centralsemi.com

DESCRIPTION:

The CENTRAL SEMICONDUCTOR C1N4156, CN41567, and CN5179 are multi-chip silicon diodes designed for applications requiring controlled forward voltage characteristics such as voltage regulation, sensing, and comparing.

MARKING: FULL PART NUMBER

MAXIMUM RATINGS: (T _A =25°C)	SYMBOL		UNITS
Power Dissipation	P_{D}	400	mW
Operating and Storage Junction Temperature	T _J , T _{stq}	-65 to +150	°C

ELECTRICAL CHARACTERISTICS: (T_A=25°C unless otherwise noted)

	<u>C1N4156</u>		<u>CN4157</u>		<u>CN5179</u>			
SYMBOL	TEST CONDITIONS	MIN	MAX	MIN	MAX	MIN	MAX	UNITS
I_{R}	$V_R=20V$	-	10	-	10	-	10	μΑ
V_{F}	I _F =1.0mA	1.21	1.41	1.85	2.05	2.20	2.80	V
V_{F}	I _F =10mA	1.38	1.58	2.12	2.32	2.60	3.20	V
V_{F}	I _F =100mA	1.54	1.84	2.36	2.66	3.00	3.70	V


C1N4156 CN4157 CN5179





DO-35 CASE - MECHANICAL OUTLINE

R1



DIMENSIONS						
	INCHES		MILLIMETERS			
SYMBOL	MIN	MAX	MIN	MAX		
Α	0.018	0.022	0.46	0.56		
В	0.120	0.200	3.05	5.08		
С	0.060	0.090	1.52	2.29		
D	1.000	-	25.40	-		

DO-35 (REV: R1)

MARKING: FULL PART NUMBER

OUTSTANDING SUPPORT AND SUPERIOR SERVICES



PRODUCT SUPPORT

Central's operations team provides the highest level of support to insure product is delivered on-time.

- Supply management (Customer portals)
- · Inventory bonding
- · Consolidated shipping options

- · Custom bar coding for shipments
- · Custom product packing

DESIGNER SUPPORT/SERVICES

Central's applications engineering team is ready to discuss your design challenges. Just ask.

- Free quick ship samples (2nd day air)
- Online technical data and parametric search
- SPICE models
- · Custom electrical curves
- · Environmental regulation compliance
- · Customer specific screening
- · Up-screening capabilities

- · Special wafer diffusions
- PbSn plating options
- · Package details
- · Application notes
- · Application and design sample kits
- Custom product and package development

CONTACT US

Corporate Headquarters & Customer Support Team

Central Semiconductor Corp. 145 Adams Avenue Hauppauge, NY 11788 USA Main Tel: (631) 435-1110

Main Fax: (631) 435-1824

Support Team Fax: (631) 435-3388

www.centralsemi.com

Worldwide Field Representatives:

www.centralsemi.com/wwreps

Worldwide Distributors:

www.centralsemi.com/wwdistributors

For the latest version of Central Semiconductor's **LIMITATIONS AND DAMAGES DISCLAIMER**, which is part of Central's Standard Terms and Conditions of sale, visit: www.centralsemi.com/terms

www.centralsemi.com