

RITA-A-RZ

Asymmetric beam. Assembly with colour mixing sublens and installation tape.

TECHNICAL SPECIFICATIONS:

Dimensions	35.1 x 28.9 mm
Height	19.3 mm
Fastening	tape, pin
ROHS compliant	yes ⓘ


MATERIAL SPECIFICATIONS:


Component	Type	Material	Colour	Finish
RITA-A-F	Reflector	HRPC		
HEIDI-TAPE	Tape	PU tape		
RITA-LENS-RZ	Sublens	PC		



ORDERING INFORMATION:

Component		Qty in box	MOQ	MPQ	Box weight (kg)
CX14342_RITA-A-RZ	Reflector	675	0	45	0.0
» Box size: 476 x 273 x 292 mm					




<p>Tolerances if not otherwise shown According to DIN ISO 2768-1 Linear measures: up to 30mm class H, otherwise class C. According to DIN ISO 2768-2 Form and position: class L</p>		<p>LEDiL Ledil Oy Salorankatu 10 FIN 24240 SALO Finland</p>	
<p>THIRD ANGLE PROJECTION: </p>		<p>DRAWING TITLE RITA-A-RZ Assembly Drawing</p>	
<p>This drawing is the property of LEDiL Oy. It may not be reproduced, copied or communicated without a written agreement with LEDiL Oy.</p>		<p>SIZE A4</p>	<p>PART NUMBER -</p>
<p>SCALE 3:2</p>		<p>WEIGHT -</p>	<p>SHEET 1/1</p>



PHOTOMETRIC DATA (MEASURED):




LED XM-L RGB
 FWHM Asymmetric
 Efficiency 84 %
 Peak intensity 0.630 cd/m
 LEDs/each optic 1
 Light colour White
 Required components:





LED LUXEON C
 FWHM Asymmetric
 Efficiency 81 %
 Peak intensity 0.550 cd/m
 LEDs/each optic 4
 Light colour RGBW
 Required components:



LED LUXEON CZ
 FWHM Asymmetric
 Efficiency 84 %
 Peak intensity 0.620 cd/m
 LEDs/each optic 1
 Light colour RGBW
 Required components:





LED LUXEON Z
 FWHM Asymmetric
 Efficiency %
 Peak intensity 0.600 cd/m
 LEDs/each optic 4
 Light colour RGBW
 Required components:



PHOTOMETRIC DATA (MEASURED):

OSRAM
Opto Semiconductors

LED	Ostar-SMT RGB
FWHM	Asymmetric
Efficiency	%
Peak intensity	0.590 cd/m
LEDs/each optic	1
Light colour	White
Required components:	



GENERAL INFORMATION:

NOTE: The typical beam angle will be changed by different color, chip size and chip position tolerance. The typical total beam angle is the full angle measured where the luminous intensity is half of the peak value.

MATERIALS:

As part of our continuous research and improvement processes, and to ensure the best possible quality and availability of our products, LEDiL reserves the right to change material grades without notice.

PRODUCT DATA USER AGREEMENT AND DISCLAIMER:

The measured data in the provided downloadable LEDiL Product Datasheets and Mechanical 2D-Drawings is rounded and provided as reference for planning. LEDiL Oy's optical specifications have been verified by conducting performance testing of the products in accordance with the company's quality system. The reported data are averaged results of multiple measurements with typical variation. LEDiL Oy reserves the right to without prior notification make changes and improvements to its products.

LEDiL Oy assumes neither warranty, nor guarantee nor any other liability of any kind for the contents and correctness of the provided data. The provided data has been generated with highest diligence but the provided data may in reality not represent the complete possible variation range of all intrinsic parameters. Therefore, in certain cases a deviation from the provided data could occur.

LEDiL Oy reserves the right to undertake technical changes of its products without further notification which could lead to changes in the provided data. LEDiL Oy assumes no liability of any kind for the possible deviation from any provided data or any other damage resulting from the usage of the provided data.

The user agrees to this disclaimer and user agreement with the download or usage of the provided files.

LEDiL Oy

Joensuunkatu 13
FI-24240 SALO
Finland

LEDiL Inc.

228 West Page Street
Suite D
Sycamore IL 60178
USA

Local sales and technical support

[www.ledil.com/
where_to_buy](http://www.ledil.com/where_to_buy)

Shipping locations

Salo, Finland
Hong Kong, China

Distribution Partners

[www.ledil.com/
where_to_buy](http://www.ledil.com/where_to_buy)