

4 3 2 1

© - TE Connectivity. All Rights Reserved.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
E		ECO-21-006876	15DEC2021	RK	MZ

5.46 [.215] REF

19.57 [.771] REF

25.53 ± 0.38 [1.005 ± 0.15]

1 2 3  
4 5 6  
7 8 9  
10 11 12

AMP

15.75 [.620]

19.94 [.785]

- MATES WITH HOUSING 640522.
- UL LOGO AND CSA LOGO TO APPEAR ON EITHER LATCH SURFACE PER AMP SPEC 202-20, I.D. NO. 1-18838-3 AND 1-18839-3. FROST BACKGROUND OPTIONAL.
- DIMENSIONS IN BRACKETS ARE IN INCHES.
- HOUSING MATERIAL: PA66, BLACK, UL 94 V-0 RATED

23.37 ± 0.38 [0.920 ± 0.15]

20.19 [.795]

16.26 [.640]

12.07 [.475]

5.72 [.225]

23.50 [.925]

24.13 [.950]

RECOMMENDED CUT OUT FOR 1.73 [.068] MAX THICK PANEL SCALE 1:1

**METRIC**

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	R. VESTAL	7-12-96		TE Connectivity			
DIMENSIONS: mm [INCHES]		CHK	R. SWING	7-12-96		NAME			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	A. BEDDICK	7-12-96		HOUSING, CAP MRLI 12 POSITION			
0 PLC	± -	PRODUCT SPEC	-			SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
1 PLC	± -	APPLICATION SPEC	-			A2	00779	C-640512	-
2 PLC	± 0.13 [.005]	WEIGHT	-			SCALE		SHEET	REV
3 PLC	± -	CUSTOMER DRAWING	-			4:1		1 of 1	E
4 PLC	± -		-						
ANGLES	± 0° 30'		-						
MATERIAL			-						
			-						

1471-9 (1/15)

640512