


**Data sheet | Item number: 215-611**

Banana plug; for socket 4 mm Ø; 2,50 mm<sup>2</sup>; white

[www.wago.com/215-611](http://www.wago.com/215-611)



Color:

**Data**

**Technical data**

Main product function	Testing accessories
Total number of potentials	1

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Electrical data

Rated current	20 A
Test voltage	42 V

## Connection data

Connection technology	CAGE CLAMP®
Strip length	9 ... 11 mm / 0.35 ... 0.43 inches
Connection points	1
Solid conductor	0.08 ... 2.5 mm <sup>2</sup> / 28 ... 14 AWG
Fine-stranded conductor	0.08 ... 2.5 mm <sup>2</sup> / 28 ... 14 AWG

## Physical data

Width	8 mm / 0.315 inches
Height	15 mm / 0.591 inches
Depth	40 mm / 1.575 inches

## Material Data

Color	white
Fire load	0.066 MJ
Weight	3.9 g

## Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-44-03-13
eCl@ss 9.0	27-44-03-13
ETIM 8.0	EC002255
ETIM 7.0	EC002255
PU (SPU)	50 pcs
Packaging type	box
Country of origin	DE
GTIN	4045454293536
Customs tariff number	85366990990

## Environmental Product Compliance

CAS-No.	7439-92-1
---------	-----------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



REACH Candidate List Substance	Lead
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	6(c)
SCIP notification number (Austria)	b7b385cf-ea1d-4594-b31a-375af4f58719
SCIP notification number (Belgium)	0a532542-1561-4b87-b840-92102ad63751
SCIP notification number (Bulgaria)	d2a58975-204f-4ea0-ba7f-e36ed1cee6fe
SCIP notification number (Czech Republic)	4c1a41f7-d382-475c-9325-842940f1be00
SCIP notification number (Denmark)	c23c1d6d-7032-4321-a4e3-bbfc40971ed8
SCIP notification number (Finland)	1a546ffa-3503-4972-80ca-6666cf2ab451
SCIP notification number (France)	f889779b-0df1-42dc-b578-cbde967c0ea6
SCIP notification number (Germany)	6022578d-1e7e-4789-b421-b986fde7c97
SCIP notification number (Hungary)	1bda8f86-b632-49ba-80b8-f1b73ad10640
SCIP notification number (Italy)	7c67c7c4-c389-4227-aeeb-0a855a1d8593
SCIP notification number (Netherlands)	3518980c-ff2b-4af6-b8f3-d6bf91b57dd9
SCIP notification number (Poland)	e3d4be3c-156d-421a-879f-21ac1e89722e
SCIP notification number (Romania)	6cf5dc75-bf4c-4ca1-8764-1473f26651a9
SCIP notification number (Sweden)	cc190a0e-d560-4fd1-b1ae-3d3b4a9f0087

## Downloads

### Documentation

#### Bid Text

215-611 X81 - Datei	2019 年2月19日	xml 3.1 kB	Download
215-611 doc - Datei	2017 年9月19日	doc 25.1 kB	Download

## CAD/CAE-Data

### CAE data

EPLAN Data Portal 215-611	URL	Download
WSCAD Universe 215-611	URL	Download

### CAD data

2D/3D Models 215-611	URL	Download
----------------------	-----	----------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 215-611  
Banana plug; for socket 4 mm Ø; 2,50 mm<sup>2</sup>; white

URL

Download


## Installation Notes

### Conductor termination



Conductor termination: Press button fully, insert stripped conductor into square entry and release.

### Testing



Testing via banana plug.

Picture shows a test plug adapter (209-170).

Subject to changes. Please also observe the further product documentation!