

FEATURES

- User configurable sensor range: $\pm 30\text{ g}$, $\pm 60\text{ g}$, $\pm 120\text{ g}$, $\pm 240\text{ g}$, $\pm 480\text{ g}$
- Compliant with PSI5 Communication Protocol Version 1.3
 - Asynchronous operation: PSI5-A10P-250[228]/1L
 - Synchronous operation: PSI5-P10P-500/3L and others
 - Daisy-chain operation with bidirectional communication
- 10-bit sensor data
- 0.25 μs data interpolation routine
- User-selectable, continuous auto-zero operation
- Electromechanical sensor self-test
- High resistance to EMI/RFI/BCI
- 4.5 V to 16.5 V operation
- Electronic serial number
- Qualified for automotive applications

APPLICATIONS

- Front impact crash sensing
- Side impact crash sensing
- Shock and vibration detection
- Pedestrian collision sensing

GENERAL DESCRIPTION

The [ADXL185B](#) z-axis sensor and the [ADXL189B](#) x-axis sensor are g range configurable, integrated single-axis satellite sensors, compliant with the PSI5 Version 1.3 specification. The [ADXL185B/ADXL189B](#) enable low cost solutions for front and side impact airbag satellite sensor applications. Acceleration data is sent to the control module via a digital 2-wire current loop interface bus.

The sensor g range is configurable to provide full-scale ranges from $\pm 30\text{ g}$ to $\pm 480\text{ g}$. The devices can also be configured to transmit data from multiple g ranges during predefined time slots, in accordance with the PSI5 specification. The devices transmit 10-bit acceleration data to the control module and can be configured to include either a 1-bit parity check or a 3-bit cyclic redundancy check (CRC). Each device has a unique electronic serial number.

The [ADXL185B/ADXL189B](#) are available in a 16-lead, narrow-body SOIC package with an exposed pad. The [ADXL185B/ADXL189B](#) are specified to operate over the full automotive temperature range of -40°C to $+125^{\circ}\text{C}$.

FUNCTIONAL BLOCK DIAGRAM




Figure 1.

For more information about the [ADXL185B/ADXL189B](#), please contact the Analog Devices, Inc., [Customer Interaction Center](#) at http://www.analog.com/en/content/technical_support_page/fca.html to connect with a technical support specialist.

Rev. Sp0

[Document Feedback](#)

Information furnished by Analog Devices is believed to be accurate and reliable. However, no responsibility is assumed by Analog Devices for its use, nor for any infringements of patents or other rights of third parties that may result from its use. Specifications subject to change without notice. No license is granted by implication or otherwise under any patent or patent rights of Analog Devices. Trademarks and registered trademarks are the property of their respective owners.

One Technology Way, P.O. Box 9106, Norwood, MA 02062-9106, U.S.A.
 Tel: 781.329.4700 ©2014 Analog Devices, Inc. All rights reserved.
[Technical Support](#) www.analog.com

NOTES