

**Data sheet | Item number: 255-200**

End plate; snap-fit type; 1 mm thick; dark gray

[www.wago.com/255-200](http://www.wago.com/255-200)



**i** Picture differs from the item.

**Color:**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data

### Physical data

Width	1 mm / 0.039 inches
Height	13.2 mm / 0.52 inches
Depth	14 mm / 0.551 inches

### Mechanical Data

Mounting type	snap-on type
---------------	--------------

### Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	dark gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.006 MJ
Weight	0.2 g

### Commercial data

eCl@ss 10.0	27-44-04-92
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	2000 (100) pcs
Packaging type	box
Country of origin	CH
GTIN	4017332136327
Customs tariff number	8538909990

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Subject to changes. Please also observe the further product documentation!



## Required accessories

### End plate

PCB terminal block	
<b>Item no.: 255-601</b>	Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/255-601">www.wago.com/255-601</a> commoning option; 2,50 mm <sup>2</sup> ; gray
<b>Item no.: 255-501</b>	Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/255-501">www.wago.com/255-501</a> commoning option; 2,50 mm <sup>2</sup> ; gray
<b>Item no.: 255-760</b>	Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/255-760">www.wago.com/255-760</a> commoning option; 2,50 mm <sup>2</sup> ; red
<b>Item no.: 255-762</b>	Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/255-762">www.wago.com/255-762</a> commoning option; 2,50 mm <sup>2</sup> ; dark gray
<b>Item no.: 255-763/999-950</b>	Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex- e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray <a href="http://www.wago.com/255-763/999-950">www.wago.com/255-763/999-950</a>
<b>Item no.: 255-764</b>	Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue <a href="http://www.wago.com/255-764">www.wago.com/255-764</a>
<b>Item no.: 255-766</b>	Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/255-766">www.wago.com/255-766</a> commoning option; 2,50 mm <sup>2</sup> ; orange
<b>Item no.: 255-763</b>	Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/255-763">www.wago.com/255-763</a> commoning option; 2,50 mm <sup>2</sup> ; light gray
<b>Item no.: 255-767</b>	Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/255-767">www.wago.com/255-767</a> commoning option; 2,50 mm <sup>2</sup> ; light green
<b>Item no.: 255-742</b>	Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/255-742">www.wago.com/255-742</a> commoning option; 2,50 mm <sup>2</sup> ; dark gray
<b>Item no.: 255-740</b>	Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/255-740">www.wago.com/255-740</a> commoning option; 2,50 mm <sup>2</sup> ; red
<b>Item no.: 255-743/999-950</b>	Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray <a href="http://www.wago.com/255-743/999-950">www.wago.com/255-743/999-950</a>
<b>Item no.: 255-746</b>	Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/255-746">www.wago.com/255-746</a> commoning option; 2,50 mm <sup>2</sup> ; orange
<b>Item no.: 255-741</b>	Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/255-741">www.wago.com/255-741</a>

Subject to changes. Please also observe the further product documentation!



commoning option; 2,50 mm<sup>2</sup>; yellow

**Item no.: 255-748**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; [www.wago.com/255-748](http://www.wago.com/255-748)  
commoning option; 2,50 mm<sup>2</sup>; black

**Item no.: 255-750**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; [www.wago.com/255-750](http://www.wago.com/255-750)  
commoning option; 2,50 mm<sup>2</sup>; red

**Item no.: 255-743**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; [www.wago.com/255-743](http://www.wago.com/255-743)  
commoning option; 2,50 mm<sup>2</sup>; light gray

**Item no.: 255-744**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; [www.wago.com/255-744](http://www.wago.com/255-744)  
commoning option; 2,50 mm<sup>2</sup>; blue

**Item no.: 255-752**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; [www.wago.com/255-752](http://www.wago.com/255-752)  
commoning option; 2,50 mm<sup>2</sup>; dark gray

**Item no.: 255-753/999-950**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; light gray [www.wago.com/255-753/999-950](http://www.wago.com/255-753/999-950)

**Item no.: 255-754**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; blue [www.wago.com/255-754](http://www.wago.com/255-754)

**Item no.: 255-757**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; [www.wago.com/255-757](http://www.wago.com/255-757)  
commoning option; 2,50 mm<sup>2</sup>; light green

**Item no.: 255-747**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; [www.wago.com/255-747](http://www.wago.com/255-747)  
commoning option; 2,50 mm<sup>2</sup>; light green

**Item no.: 255-758**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; [www.wago.com/255-758](http://www.wago.com/255-758)  
commoning option; 2,50 mm<sup>2</sup>; black

**Item no.: 255-753**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; [www.wago.com/255-753](http://www.wago.com/255-753)  
commoning option; 2,50 mm<sup>2</sup>; light gray

**Item no.: 255-756**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; [www.wago.com/255-756](http://www.wago.com/255-756)  
commoning option; 2,50 mm<sup>2</sup>; orange

**Item no.: 255-401**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; [www.wago.com/255-401](http://www.wago.com/255-401)  
commoning option; 2,50 mm<sup>2</sup>; gray

**Item no.: 255-751**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; [www.wago.com/255-751](http://www.wago.com/255-751)  
commoning option; 2,50 mm<sup>2</sup>; yellow

**Item no.: 255-761**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; [www.wago.com/255-761](http://www.wago.com/255-761)  
commoning option; 2,50 mm<sup>2</sup>; yellow

**Item no.: 255-768**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; [www.wago.com/255-768](http://www.wago.com/255-768)  
commoning option; 2,50 mm<sup>2</sup>; black

## Downloads

### Documentation

#### Additional Information

2019 年4月3日

pdf  
2.0 MB

Download

## CAD/CAE-Data

### CAE data

ZUKEN Portal 255-200

URL

Download

EPLAN Data Portal 255-200

URL

Download

### CAD data

2D/3D Models 255-200

URL

Download

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 255-200  
End plate; snap-fit type; 1 mm thick; dark gray

URL

Download

## Installation Notes

Subject to changes. Please also observe the further product documentation!