
142270-5 - ACTIVE

AMP

TE Internal #: 142270-5 Board-to-Board Jumpers & Shunts, Open Top, 2 Position, .1 in [2.54 mm] Centerline, Signal, -67 – 257 °F [-55 – 125 °C]

View on TE.com >

Connectors > PCB Connectors > Board-to-Board Connectors > Board-to-Board Jumpers & Shunts



Shunt Style: Open Top
Connector System: Board-to-Board
Number of Positions: 2
Centerline (Pitch): 2.54 mm [.1 in]
Connector & Contact Terminates To: Printed Circuit Board

Features

Product Type Features

Connector System

Connector & Contact Terminates To

Configuration Features

Number of Positions



Board-to-Board

Printed Circuit Board

Body Features

Handle	Without
Primary Product Color	Green
Contact Features	
Contact Mating Area Plating Material Thickness	1 μm[39.37 μin]
Contact Mating Area Plating Material	Gold
Contact Base Material	Beryllium Copper
Shunt Style	Open Top
Contact Current Rating (Max)	3 A
Housing Features	
Housing Material	Glass Filled PBT
Centerline (Pitch)	2.54 mm[.1 in]
Dimensions	
Product Height	6.3 mm[.248 in]

142270-5

Board-to-Board Jumpers & Shunts, Open Top, 2 Position, .1 in [2.54 mm] Centerline, Signal, -67 – 257 °F [-55 – 125 °C]



Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
Approved Standards	CSA Certified, UL Recognized
UL Flammability Rating	UL 94V-0
Packaging Features	
Jumper & Shunt Packaging	Breakaway Strip of 14 Pieces
Packaging Quantity	1400
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

142270-5

Board-to-Board Jumpers & Shunts, Open Top, 2 Position, .1 in [2.54 mm] Centerline, Signal, -67 – 257 °F [-55 – 125 °C]



Compatible Parts



Customers Also Bought



 TE Part #5650118-2
 TE Part #5-1624113-5
 TE Part #6-1624113-4
 TE Part #2-2176325-9

 CONN SEC II 10 POS 100C/L R/A
 3650 2A 0.27 uH 5% 2K RL
 3650 2A 0.68 uH 5% 2K RL
 CRGP 0402 2K2 1%



Documents

Product Drawings CONNECTOR SHUNT 2 P

English

CAD Files

3D PDF

3D

E TE

142270-5

Board-to-Board Jumpers & Shunts, Open Top, 2 Position, .1 in [2.54 mm] Centerline, Signal, -67 – 257 °F [-55 – 125 °C]



Customer View Model

ENG_CVM_CVM_142270-5_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_142270-5_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_142270-5_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Product Specification

English

STRAP D'INTERCONNEXION AU PAS DE 2,54 mm

English

Product Environmental Compliance

TE Material Declaration

English

MD_142270-5_10282015627_dmtec

English

MD_142270-5_10282015627_dmtec

English