



Economy Power 2.5

TE Internal #: 1969443-3

PCB Latches, Locks & Retainers, TPA (Terminal Position Assurance),
3 Position, .098 in [2.5 mm] Centerline, 1 Row, Economy Power 2.5

[View on TE.com >](#)

Connectors > PCB Connectors > PCB Connector Accessories > PCB Connector Hardware > PCB Latches, Locks & Retainers

Connector & Contact Retention Accessory Type: **TPA (Terminal Position Assurance)**

Number of Positions: **3**

Centerline (Pitch): **2.5 mm [.098 in]**

Number of Rows: **1**

Operating Temperature Range: **-55 – 105 °C [-67 – 221 °F]**

Features

Product Type Features

Connector & Contact Retention Accessory Type	TPA (Terminal Position Assurance)
--	-----------------------------------

Configuration Features

Number of Positions	3
Number of Rows	1

Body Features

Primary Product Material	Nylon GF
Primary Product Color	Black

Housing Features

Centerline (Pitch)	2.5 mm[.098 in]
--------------------	-----------------

Dimensions

Product Height	2.51 mm[.099 in]
----------------	------------------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Industry Standards

Glow Wire Rating	Standard Part - Not Glow Wire
------------------	-------------------------------

Packaging Features

Packaging Quantity	1000
Packaging Method	Bag



Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 1744417-3 3 POS EP 2.5 HSG, GLOW WIRE	TE Part # 1969442-3 EP 2.5 TPA Housing, 3 Pos	TE Part # 1744423-1 EP 2.5 RCPT CONTACT, 24-20 AWG	TE Part # 2110989-1 EP 2.5 RCPT CONTACT, 26-22 AWG
TE Part # 1-2299683-3 EP2.5 HDR 3P VERT W/O BOSS, TAPING,RED	TE Part # 1969825-2 EP 2.5 TPA Retainer, 2 Pos	TE Part # 1969825-3 EP 2.5 TPA RETAINER, 3 POS	TE Part # 1969825-4 EP 2.5 TPA RETAINER, 4 POS



TE Part # 1969825-5
EP 2.5 TPA RETAINER, 5 POS

TE Part # 2-2299683-3
EP2.5 HDR 3P VERT W/O BOSS,
TAPING,BLUE

TE Part # 2299683-3
EP2.5 HDR 3P VERT W/O BOSS,
TAPING

TE Part # 3-2299683-3
EP2.5 HDR 3P VERT W/O BOSS,
TAPING,BLACK

TE Part # 4-2299683-3
EP2.5 HDR 3P VERT W/O BOSS,
TAPING,YELLOW

TE Part # 5-2299683-3
EP2.5 HDR 3P VERT W/O BOSS,
TAPING,GREEN

Also in the Series | Economy Power 2.5

Insertion & Extraction Tools(1)

PCB Headers & Receptacles(494)

PCB Latches, Locks & Retainers(49)

Rectangular Power Connectors(43)

Wire-to-Board Connector Assemblies
& Housings(311)

Wire-to-Board Connector Contacts(6)





Customers Also Bought

TE Part #1744417-3
3 POS EP 2.5 HSG, GLOW WIRE

TE Part #1969442-4
EP 2.5 TPA Housing, 4 Pos

TE Part #1744423-1
EP 2.5 RCPT CONTACT, 24-20 AWG

TE Part #1969443-4
EP 2.5 TPA Retainer, 4 Pos



Documents

Product Drawings

[EP 2.5 TPA Retainer, 3 Pos](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_1969443-3_B.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1969443-3_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1969443-3_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[7-1773461-6_EP2.5_Connector_Series](#)

English

Product Specifications

[Application Specification](#)

English

Product Environmental Compliance

[TE Material Declaration](#)

English

[MD_1969443-3_032220181250_dmtec](#)

English

[MD_1969443-3_032220181250_dmtec](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

1969443-3

PCB Latches, Locks & Retainers, TPA (Terminal Position Assurance), 3 Position, .098 in [2.5 mm] Centerline, 1 Row, Economy Power 2.5



English