
929053-1 <

AMP | MQS TE Internal #: 929053-1 Automotive Connector Caps & Covers, Cover Assembly, Gray, PBT GF, 32 Position, -40 – 185 °F [-40 – 85 °C], MQS

View on TE.com >

Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Protection & Strain Relief Accessory Type: Cover Assembly

Strain Relief: With

Primary Product Color: Gray

Primary Product Material: **PBT GF**

Number of Positions: 32

Features

Product Type Features

Protection & Strain Relief Accessory Type	Cover Assembly
Configuration Features	
Compatible With Connector Code	A
Number of Positions	32



Body Features

Primary Product Color	Gray
Primary Product Material	PBT GF
Mechanical Attachment	
Strain Relief	With
Usage Conditions	
Operating Temperature (Max)	85 °C[185 °F]
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
Packaging Features	
Packaging Quantity	500
Packaging Method	Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>

& For support call+1 800 522 6752

929053-1

Automotive Connector Caps & Covers, Cover Assembly, Gray, PBT GF, 32 Position, -40 – 185 °F [-40 – 85 °C], MQS



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

TE Part # CAT-SIGH262	TE Part # 968265-1
Signal Header	32POS MQS REC


Also in the Series | MQS



929053-1

Automotive Connector Caps & Covers, Cover Assembly, Gray, PBT GF, 32 Position, -40 – 185 °F [-40 – 85 °C], MQS







PCB Headers & Receptacles(214)

Customers Also Bought



ADAPTER,FOR TAB HOUSING,ASSY	32pos MQS .63 header 180deg	MULTILOCK, CONNECTOR HOUSING	5MM PITCH TAB/RECPT CONN
TE Part #1-936686-1 UNDER COVER FOR BLM	TE Part #5-1897638-5 C.E BOX ASSY-BLM F/L-1FAN,4PW, STD		

Documents

Product Drawings
MQS ABDEKA M.HEB32P
English
CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_929053-1_C.2d_dxf.zip

929053-1

Automotive Connector Caps & Covers, Cover Assembly, Gray, PBT GF, 32 Position, -40 – 185 °F [-40 – 85 °C], MQS



English

Customer View Model ENG_CVM_CVM_929053-1_C.3d_igs.zip English

Customer View Model

ENG_CVM_CVM_929053-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English