




Power Triple Lock

TE Internal #: 1971238-2

Power Contacts, Contact, 600 VAC, 600 VDC, Tin, Wire & Cable, Crimp, Power, Tab, -55 – 150 °C [-67 – 302 °F], Power Triple Lock

[View on TE.com >](#)

Connectors > Power Connectors > Power Contacts > Tab Contact — POWER TRIPLE LOCK



Power Contact Type: **Contact**

Operating Voltage: **600 VDC**

Contact Mating Area Plating Material: **Tin**

Connector & Contact Terminates To: **Wire & Cable**

All Tab Contact — POWER TRIPLE LOCK (12)

Features

Product Type Features

Power Contact Type	Contact
Connector & Contact Terminates To	Wire & Cable

Electrical Characteristics

Operating Voltage	600 VDC
-------------------	---------

Contact Features

Contact Mating Area Plating Material	Tin
Contact Current Rating (Max)	12 A
Contact Type	Tab
Contact Retention Within Housing	Without
Mating Tab Width	2.7 mm[.106 in]
Mating Tab Thickness	1.63 mm[.064 in]
Contact Base Material	Copper Alloy
Wire Contact Termination Area Plating Thickness	.8 – 2.5 µm[31.49 – 98.4 µin]
Wire Contact Termination Area Plating Material	Pre-Tin



Wire Contact Termination Area Plating Material Finish	Bright
-------------------------------------------------------	--------

Contact Orientation	Straight
---------------------	----------

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Compatible Insulation Diameter Range	2.4 – 2.7 mm [.095 – .106 in]
--------------------------------------	-------------------------------

Usage Conditions

Operating Temperature Range	-55 – 150 °C [-67 – 302 °F]
-----------------------------	-----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

Agency/Standard	UL, VDE
-----------------	---------

Packaging Features

Packaging Method	Reel
------------------	------

Other

Power Connectors Comment	Complies with IEC 61984 Specification
--------------------------	---------------------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
-----------------------------------------------	-----------------------------------------

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
----------------------------------------	---------------------------------------------------------------------------------------------------------------------------------

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	-------------------------------------------------------------------------------------

Solder Process Capability	Not reviewed for solder process capability
---------------------------	--------------------------------------------

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-P87074-C1701A
POWER TRIPLE LOCK High Temperature Caps



TE Part # 1452426-1
EXTRACTION TOOL



TE Part # 2305570-1
Strip Terminal Cutter-Side Feed-No Crimp



TE Part # 2217267-1
SDE COMMERCIAL TOOL/DIE



TE Part # 1-2232264-4
PTL 2X4 CAP PANEL MT HOT WIRE KEY A BLK



TE Part # 2-2151746-1
OCEAN_2.0_Applicator-S-080F120F



TE Part # 2-2151746-2
OCEAN_2.0_Applicator-S-080F120F



TE Part # 2151746-1
OCEAN_2.0_Applicator-S-080F120F



TE Part # 2151746-2
OCEAN_2.0_Applicator-S-080F120F



TE Part # 2217267-2
SDE COMMERCIAL TOOL/DIE



TE Part # 7-2151746-1
OCEAN_2.0_Applicator-S-080F120F



TE Part # 7-2151746-2
OCEAN_2.0_Applicator-S-080F120F




TE Part # 7-2151746-7
OCEAN_2.0_SPARE_PART_KIT-080F120F

Also in the Series | Power Triple Lock



Insertion & Extraction Tools(1)



Power Contacts(30)



Rectangular Connector Locking(12)



Rectangular Power Connectors(300)

Customers Also Bought



TE Part #1971785-1
PTL RECEPTACLE CONTACT, 20 - 24 AWG



TE Part #1971786-1
PTL TAB CONTACT, 20 - 24 AWG



TE Part #316088-1
2.5 SIGNAL D/LOCK CAP HSG 4P



TE Part #1-1971775-3
PTL 2X3 CAP PANEL MT STD TEMP KEY A NAT




TE Part #1586852-1
04P UMNL PLUG HSG, GW



TE Part #794218-1
MINI UMNL2 PIN 26-22 AWG SN



TE Part #1586851-1
02P UMNL PLUG HSG, GW



TE Part #170384-2
250 FASTON, REC., 22-20 AWG, TPBR



TE Part #1601075-2
131-145-014=WIRE2BLADE,STD,SMZ



TE Part #936552-2
CLIP HSG FOR 187 CONN BLACK

Documents

Product Drawings

[PTL TAB CONTACT, 2X20 AWG](#)

English

CAD Files

[3D PDF](#)

[3D](#)



Customer View Model

[ENG_CVM_CVM_1971238-2_D.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1971238-2_D.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1971238-2_D.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1-1773734-9 TE Power Triple Lock Quick Reference Guide - German](#)

German

[9-1773465-1 Power Triple Lock QRG](#)

English

Product Specifications

[Application Specification](#)

English

Product Environmental Compliance

[Product Compliance](#)

English

[Product Compliance](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English

Agency Approvals

[VDE Certificate](#)

English

[VDE Certificate](#)

English