


PLUG MATED TO VERTICAL RECEPTACLE MATED PROFILE



- NOTES:
- MATERIAL:
 - HOUSINGS: LCP UL94, V-0, COLOR : BLACK
 - TERMINALS: HIGH CONDUCTIVITY COPPER ALLOY
 - PLATING: 1.27 μm (50 μin) NICKEL OVERALL WITH
2.54 μm (100 μin) SELECTIVE TIN ON TAILS AND
0.762 μm (30 μin) SELECTIVE GOLD ON CONTACT AREA
 - PACKAGING: ASSEMBLIES TO BE TRAY PACKED PER PACKAGING SPEC: 2141140001-PK.
 - PLATED THRU HOLE SIZE, REFER TO PRODUCT SPEC. FOR DETAILS.
 - PRODUCT SPEC: 2141130000-PS.
 - PRODUCT TO MEET RoHS REQUIREMENTS.
 - VERTICAL ASSEMBLY MATES TO MOLEX PLUG 219562XXXX-SD, SEE DRAWING FOR DETAILS.
 - TAIL DESIGN: COMPLIANT PIN.
 - POWER TERMINALS ARE LUBRICATED.
 - APPLICATION SPECIFICATION: 2141130000-AS (FOR COMPLIANT TAILS ONLY).

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS	SCALE	CURRENT REV DESC:							
mm	3:1								
GENERAL TOLERANCES (UNLESS SPECIFIED)									
ANGULAR TOL	± °								
4 PLACES	±	EC NO: 745288							
3 PLACES	±	DRWN: LZABJANOVSKI		2023/03/23					
2 PLACES	± 0.25	CHK'D: JAYK1		2023/04/10					
1 PLACE	± 0.3	APPR: JAYK1		2023/04/10					
0 PLACES	±	INITIAL REVISION:							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRWN: LZABJANOVSKI		2022/03/30					
		APPR: BPISZCZOR		2022/08/04					
THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER	
D-SIZE		219563		SEE CHART					
DOCUMENT STATUS		P1		RELEASE DATE		2023/04/11		17:05:26	

RECOMMENDED PCB LAYOUT AND KEEP-OUT ZONE


molex

GUARDIAN HD VREC POWER ONLY
UNGUIDED PF


PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
2195639003-SD	PSD	000	A2


PART NUMBER	CONFIGURATION	QUANTITY PER CARTON (DU)
219563-0031	1P	820




PART NUMBER	CONFIGURATION	QUANTITY PER CARTON (DU)
219563-0032	2P	440




PART NUMBER	CONFIGURATION	QUANTITY PER CARTON (DU)
219563-0033	3P	300




PART NUMBER	CONFIGURATION	QUANTITY PER CARTON (DU)
219563-0034	4P	220




PART NUMBER	CONFIGURATION	QUANTITY PER CARTON (DU)
219563-0035	5P	180




PART NUMBER	CONFIGURATION	QUANTITY PER CARTON (DU)
219563-0036	6P	140




PART NUMBER	CONFIGURATION	QUANTITY PER CARTON (DU)
219563-0037	7P	120




PART NUMBER	CONFIGURATION	QUANTITY PER CARTON (DU)
219563-0038	8P	100



PART NUMBER	CONFIGURATION	QUANTITY PER CARTON (DU)
219563-0039	9P	100



PART NUMBER	CONFIGURATION	QUANTITY PER CARTON (DU)
219563-0040	10P	80



*** VIEWS SHOWN ON THIS SHEET ARE FROM THE BOTTOM OF THE CONNECTOR**

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
DIMENSION UNITS	SCALE	CURRENT REV DESC:	
mm	3:1		
GENERAL TOLERANCES (UNLESS SPECIFIED)			
ANGULAR TOL	±	°	
4 PLACES	±		
3 PLACES	±		
2 PLACES	±	0.25	
1 PLACE	±	0.3	
0 PLACES	±		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING
		⊕	D-SIZE
		SERIES	MATERIAL NUMBER
		219563	SEE CHART
		CUSTOMER	SHEET NUMBER
			2 OF 2

GUARDIAN HD VREC POWER ONLY UNGUIDED PF			
PRODUCT CUSTOMER DRAWING			
DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
2195639003-SD	PSD	000	A2