

**Data sheet | Item number: 248-577**

Mini-WSB marking card; as card; MARKED; N (100x); not stretchable;  
Horizontal marking; snap-on type; white

[www.wago.com/248-577](http://www.wago.com/248-577)



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data

### Technical data

Marking method	Thermal transfer
Marking	N
Marking (number)	100
Marking direction	Horizontal marking
Marking color	black
Marking type	Symbol
Marking differentiation	Same symbols per strip
Delivery form	Marker card
Delivery form configuration	10 strips with 10 markers per card

### Physical data

Marker/strip width	5 mm
Marker width	5 mm

### Mechanical Data

Smear resistance	EN 60998-1:2004
------------------	-----------------

### Material Data

Color	white
UV resistance	EN 60068-2-5:2010 Procedure B
Halogen-free	Yes
Weight	6.2 g
Fire load	0.185 MJ

### Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-37
eCl@ss 9.0	27-14-11-37
ETIM 8.0	EC000761
ETIM 7.0	EC000761
PU (SPU)	5 pcs
Packaging type	bag
Country of origin	DE

Subject to changes. Please also observe the further product documentation!



GTIN	4055143695114
Customs tariff number	49119900000

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Downloads

### Environmental Product Compliance

#### Compliance Search

Environmental Product Compliance 248-577	URL	Download
Mini-WSB marking card; as card; MARKED; N (100x); not stretchable; Horizontal marking; snap-on type; white		

## Installation Notes

### Marking



Marking via Mini-WSB Quick Marking System.

## Product family

### Mini-WSB

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!