

Housing - VC-MEMV-T4-R-M25 - 1886621

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Sleeve housing with EMC coating and conductive seal, with metric cable entry, locking screws with knurled head, type 4

The illustration shows version VC-MEMV-T3-R-M25



Key commercial data

| | |
|--------------------------------------|------------|
| Packing unit | 1 pc |
| Weight per Piece (excluding packing) | 376.24 GRM |
| Custom tariff number | 79070000 |
| Country of origin | Poland |

Technical data

Dimensions

| | |
|--------|--------|
| Height | 75 mm |
| Width | 33 mm |
| Length | 104 mm |

Ambient conditions

| | |
|---------------------------------|-------------------|
| Ambient temperature (operation) | -40 °C ... 125 °C |
|---------------------------------|-------------------|

General

| | |
|-----------------------------------|-----------------------------|
| Type | VC4 |
| Housing type | Sleeve housings |
| Color | nickel |
| Locking type | Screw locking, knurled head |
| Tightening torque, mounting screw | 1.5 Nm \pm 0.3 Nm |
| No. of cable outlets | 1 |
| Cable exit | Angled |
| Screw connection | none |

Housing - VC-MEMV-T4-R-M25 - 1886621

Technical data

General

| | |
|------------------------------|--|
| Type of the screw connection | M25 |
| Housing material | Zinc die-cast, surface bronzed and nickel-plated |
| Housing surface material | Nickel-plated |
| Seal material | EPDM, conductive |
| Material of locking screw | Nickel-plated brass |

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 27140816 |
| eCl@ss 4.1 | 27140816 |
| eCl@ss 5.0 | 27371205 |
| eCl@ss 5.1 | 27371205 |
| eCl@ss 6.0 | 27371205 |
| eCl@ss 7.0 | 27371205 |
| eCl@ss 8.0 | 27440202 |

ETIM

| | |
|----------|----------|
| ETIM 2.0 | EC000437 |
| ETIM 3.0 | EC000437 |
| ETIM 4.0 | EC000437 |
| ETIM 5.0 | EC000437 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 31261502 |
| UNSPSC 7.0901 | 31261502 |
| UNSPSC 11 | 31261502 |
| UNSPSC 12.01 | 31261502 |
| UNSPSC 13.2 | 31261502 |

Approvals

Approvals

Approvals

GOST

Housing - VC-MEMV-T4-R-M25 - 1886621

Approvals

Ex Approvals

Approvals submitted

Approval details



Drawings

Dimensioned drawing

