

Data sheet | Item number: 890-624

Mounting plate; 4-pole; for distribution connectors; Plastic; black

www.wago.com/890-624




Color:

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Item description

Mounting accessories *WINSTA*® MINI 4-pole

The mounting accessories from the *WINSTA*® MINI product line guarantees you the greatest possible flexibility in electrical installation. An extensive range of accessories rounds out the *WINSTA*® product line from WAGO. Where space is tight, our smallest pluggable connection system, *WINSTA*® MINI, consistently displays its advantages. It saves space, and, with Push-in *CAGE CLAMP*® spring pressure connection technology, it also saves time, since the installation is low-maintenance and can be performed without screw connections.

Push-in *CAGE CLAMP*® spring pressure connection technology – pluggable installation instead of laborious screw connections!

Subject to changes. Please also observe the further product documentation!



The WINSTA® Pluggable Connection System is ideally tailored to the very strict requirements of building installation. It makes electrical installation pluggable, and thus more efficient, even more reliable, and error-free. Use of this pre-assembled system decreases time spent on assembly and installation errors at the construction site. Now you can also cut installation expenses without compromising quality and safety: The WINSTA® MINI accessory reduces the need for servicing and prevents unnecessary downtime.

-
- consistent IP40 protection
- fast, secure installation

Data

Connection data

Connection 1

Pole number	4
-------------	---

Mechanical Data

Mounting type	Screw mounting
Suitable	for distribution connectors (except T-distribution connectors); 4-pole

Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	black
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.099 MJ
Weight	2.1 g

Environmental requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Commercial data

Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	50 (50) pcs
Packaging type	box
Country of origin	DE
GTIN	4055143838559
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Approvals / Certificates

Approvals for marine applications

Logo	Approval	Additional Approval Text	Certificate name
	LR Lloyds Register	EN 61535	08/20047 (E2)

Downloads

Documentation

Bid Text

890-624 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
890-624 doc - Datei	2015 年3月11 日	doc 22.0 kB	Download

CAD/CAE-Data

CAD data

2D/3D Models 890-624	URL	Download
----------------------	-----	----------

Subject to changes. Please also observe the further product documentation!



CAE data

WSCAD Universe 890-624	URL	Download
ZUKEN Portal 890-624	URL	Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 890-624	URL	Download
Mounting plate; 4-pole; for distribution connectors; Plastic; black		

Installation Notes

Product family

WINSTA® MINI

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!