

42722-1 ✓ ACTIVE

TE Internal #: 42722-1

Ring Terminals & Spade Terminals, Ring Tongue, 12 – 10 AWG

Wire Size, 3 – 6 mm² Wire Size, 6529 – 10382 CMA Wire Size, Stud Size #10

[View on TE.com >](#)



Terminals & Splices > Ring Terminals & Spade Terminals



Ring & Spade Terminal Type: **Ring Tongue**

Wire Size: **6529 – 10382 CMA**

Stud Size: **#10**

Features

Product Type Features

Shape Description	Circular/Oval
Stud Size	#10
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Number of Holes	1
-----------------	---

Body Features

Product Weight	2.077 g
----------------	---------

Contact Features

Contact Base Material	Brass
Ring & Spade Terminal Type	Ring Tongue
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Unplated
Contact Underplating Material	None



Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

	.15 in
Wire Size	6529 – 10382 CMA
Stud Diameter	4.82 mm[.19 in]
Tongue Thickness	.76 mm[.03 in]
Product Length	27.18 mm[1.07 in]
Barrel Inside Diameter	3.55 mm, 4.57 mm[.14 in][.18 in]
Compatible Insulation Diameter (Max)	5.33 mm[.21 in]
Compatible Insulation Diameter Range	3.81 – 5.33 mm[.15 – .21 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	3000
Packaging Method	Strip/Reel

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

	Free
Solder Process Capability	Not applicable for solder process capability





Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 61844-1 RING TERMINAL 12-10 AWG .0395X.650 TPCU</p>	 <p>TE Part # 2150198-2 OCEAN_2_0_Applicator-E-210F2500</p>	 <p>TE Part # 2-2150198-2 OCEAN_2_0_Applicator-E-210F2500</p>	 <p>TE Part # 60399-1 RING TERMINAL 12-10 AWG TPCU</p>
 <p>TE Part # 63526-1 FLANGED SPADE TERMINAL 12-10 AWG BR</p>	 <p>TE Part # 7-2150198-2 OCEAN_2_0_Applicator-E-210F2500</p>	 <p>TE Part # 7-2150198-7 OCEAN_2_0_SPARE_PART_KIT-210F2500</p>	

Customers Also Bought

 <p>TE Part #1971781-2 Receptacle Contact — POWER TRIPLE LOCK</p>	 <p>TE Part #521367-2 ULTRA-POD 250 ASSY REC 18-14 AWG TPBR</p>	 <p>TE Part #794118-1 04P .156 MNL CAP PANEL MOUNT</p>	 <p>TE Part #61086-1 .156 MNL PIN 20-14 PTPBR</p>
--	--	---	--



TE Part #520973-1
ULTRA-POD 187 ASSY REC 20-16
AWG BR



TE Part #62754-1
SPLICE 14000-30000 .030 BR



TE Part #62591-1
187 FASTON FLAG REC 20-16 AWG
TPBR



TE Part #1742543-1
250 FASTON, FLAG, REC., 18-12 AWG,
NPST



TE Part #1969870-1
3P, 250 AND 187 SRS, POSI-LOCK
MARK II

Documents

Product Drawings

RING TONGUE 12-10 AWG BR

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_42722-1_AB_c-42722-1-ab.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_42722-1_AB_c-42722-1-ab.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_42722-1_AB_c-42722-1-ab.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Product Environmental Compliance

[MD_42722-1_060520181211_dmtec](#)

English

[MD_42722-1_060520181211_dmtec](#)

English



[Agency Approvals](#)

[UL Report](#)

English